























Motors shown on this list are additional to those detailed on the original (word only) list dated 12th. July 2007.

2015 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued: Aug. 25 2015.
















NOTE: Motors approved by IFMAR from 2013 must comply with Rule 5.2(d), which requires access to measure stator length and visual for laminate thickness. Motors approved by IFMAR from 2015 must comply with Rule 5.5(e) which requires that all Rotors must have the Name/Logo and Part # shown. Motors from previous years without these features retain approval.

ITEM DELETED.				
YOKOMO Race Performer M2				Rotor in Samples :- RP-021. 12.5 x 5 mm Optional :- RP-022. 12.5 x 7.2 mm RP-023. 12.3 x 5 mm RP-024. 12.3 x 7.2 mm RP-025. 14.0 x 5 mm RP-026. 13.5 x 5 mm RP-027. 12.0 X 7.2 mm
SUNRAY TECHNOLOGY Trion TricoRoll MM				Rotor in Samples :- TB 1443. 12.5 x 5 mm Optional :- TB 1444. 12.75 x 5 mm MR-FZR06. 12.80 x 5 mm
SCORPION POWER RS-3420				Rotor in Samples :- 975. 12.5 x 4 mm Optional :- 976. 12.3 x 4 mm 977. 12.0 x 4 mm
VAMPIRE AB+ V2				20.07.14: Updated all aluminium timing & end-plate Ass. fitted.
MUCMORE FLETA ZX. Optional tuning part.				05.08.14. Aluminium timing-plate MR-FZAT fitted.
2014 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued June 20, 2014				
TEAM POWERS Actinium				Rotor in Samples :- 12.5 x 5 mm.

TRINITY D3.5				Rotor in Samples :- 12.5 x 5 mm.
SKYRC Ares Pro.				Rotor in Samples :- 12.5 x 5 mm.
LIPOTECH XR Vario				Rotor in Samples :- 12.5 x 5 mm. 12.5 x 7.2 mm.
GFORCE Gforce Super Sonic				Rotor in Samples :- 12.5 x 5 mm.
ORION VST2 Pro.				Approved 2013, revised stator option. Rotor in Samples :- 12.1 x 4.76 mm. Optional :- 12.4 x 5 mm. 12.9 x 5 mm.
ORION VST2 Pro. Light-Weight				LW version has two stator options.
TIANCO ORCA RX3				Rotor in Samples :- 12.5 x 5 mm. 12.4 X 5 mm.
KING GOLDEN Speed Passion 4.0				Rotor in Samples :- 12.5 x 5 mm.
Optional Part Colours				Rotor in Samples :- 12.5 x 5 mm.



















SPEED ENERGY SE Race Spec.				Rotor in Samples :- 12.5 x 5 mm. Optional :- 12.24 x 5 mm.
HACKER Skalar 10				Rotor in Samples :- 12.5 x 5 mm. Optional :- 12.24 x 5 mm. 13.0 x 5 mm.
HOBBYWING Xerun V10				Rotor in Samples :- 12.5 x 5 mm.
TIANCO ORCA TX Optional Tuning Parts.				Optional End-Plate. # OME111TX. 20.07.14 New sensor Ass. CAS-0220TX-30 fitted.
















2013 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued May 17, 2013

REEDY Sonic. MACH 2				Rotor in Samples :- # 958 12.50 mm. Optional rotors :- # 957 12.20 mm. # 987 13.00 mm.
TRICORE SAVOX X.1				Approved in 2011. Resubmitted with stator access. Optional rotors:- A35, A36, A37, A38.
VAMPIRE AB+ V2				Rotor in sample :- 12.50 mm dia. Gold finish. 21.10.13: Retaining Ring & Timing Plate modified.
TIANCO ORCA TX				Rotor in sample:- 125M-H 12.5 mm. Optional :- 125M-SH
TEKIN Redline Gen2				Rotor in Samples :- 13 x 5.2 mm. 13 x 7.2 mm.



ORION VST2 Pro.				Rotor in Samples :- 12.1 x 4.76 mm. Optional :- 12.5 x 7.1 mm.
YOKOMO 'M' Series				Rotor in Samples :- 12.5 x 5 mm.
MUCMORE FLETA ZX				Rotor in Samples :- 12.5 x 5 mm.

2012 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued March 26, 2012






REEDY Sonic.				Rotor in sample :- 12.50 mm dia.
THUNDER POWER RC Z3R				Later version has: 6mm slots Optional Rotors :- AMR-Z3RM Purple AMRS-Z3RM Gold AHT-Z3RS Green AST-Z3RS Blue ASR-Z3RS Red Early version has: 4mm slots
				
DUALSKY Track & Field Z5				Rotor in sample :- 12.50 mm dia.
LRP Vector X20.				Optional Rotors :- 50632 12 mm 50633 12.5 mm 50634 13 mm 50635 12.45 mm 50636 12 mm 50637 12.5 mm (kit) 50638 13 mm 50639 12.25 mm (Also Nosram versions, with alternative Part #'s)
NOSRAM Pure 2				

<p>TIANCO ORCA RX2</p>				<p>Optional Rotors :- Red 12.5 mm dia.. Gold 12.8 mm dia.</p>
<p>KING GOLDEN Speed passion 3.0 (Normal)</p>				<p>Optional Rotors :- RM 13801 Blue. RM 13802 Purple. RM 13802NA Purple RM 13803 Red (Kit) RM 13803NA Red RM 13804 Gold RM 13805 Green RM 13806 Orange</p>
<p>7.5T & 8.5T no Vent Holes</p>				
<p>KING GOLDEN Speed passion 3.0 1 CELL.</p>				<p>NA = Silver Edition</p>
<p>KING GOLDEN Speed passion 3.0 MMM.</p>				<p>All above available with Stock shaft size using #RS</p>

2011 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued April 05, 2011

<p>TRICORE SAVOX Z1</p>				<p>Rotor in sample :- 12.30 mm. dia.</p>
<p>KING GOLDEN Speed Passion 3.0</p>				<p>Alternative Rotors:- RM13802 12.3mm dia. RM13802NA 12.3mm " RM13803 12.5mm " RM13803NA 12.5mm " RM13804 12.8mm " RM13805 12.8mm " RM13806 13.0mm "</p> <p>Motor can have stator ID of 14.8mm or 15.8mm</p>
				
<p>ORION Vortex Race (2010 Ver.)</p>				<p>Rotor in sample :- 12.50 mm. dia.</p>



2010 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued March 23, 2010

















<p>LIPOTECH Lipotech XR</p>				<p>Alternative Rotors :- 12.30 mm. dia. 12.50 mm. " 13.00 mm. " 13.50 mm. "</p>
<p>GM RACING (Graupner) Brushless PRO 2010 Version</p>				<p>Motor also supplied with Black Finish. Alternative Rotors supplied:- 12.00 mm. dia. 12.50 mm. "</p>
<p>YOKOMO</p>				<p>Rotor in sample :- 13.50 mm. dia.</p>
<p>LRP Vector X12. Tuning parts.</p>				<p>Alternative Rotors :- 12.00 mm. dia. # 50636. 12.45 mm. " # 50637. 13.00 mm. " # 50634. 13.00 mm. " # 50638.</p>

2009 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued June 09, 2009

<p>ORION Vortex 2008 Race</p>				
<p>Novak Ballistic Brushless</p>				

2008 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued Nov. 04, 2008

<p>APO Team Powers</p>				
<p>ORION Vortex 2008 Race</p>				

LRP Vector X12				
GM RACING (Graupner) Brushless PRO				
TRINITY				Also with Black finish.
KING GOLDEN Speed Passion Competition 2.0				
KING GOLDEN Speed Passion Competition 2.0				
P. Worsley. 25.08.15. (for IFMAR)				