

Brushless 'Spec.' Motors (10.5 Turn). 2015 v6

EUROPEAN FEDERATION RADIO CONTROLLED AUTOMOBILES

Motors shown on this list are "Known to Comply" with EFRA 2014 Rules for Brushless 'Spec.' 10.5T Motors.

This list is for reference only and should not be considered to be comprehensive. Products from other manufacturers may also comply with EFRA rules. Before using a motor not on this list, please bear in mind it is the competitors responsibility to ensure that any motor used complies with EFRA rules. It may be necessary to dismantle any unknown motor to check its legality, which is known to be a destructive process for most Brushless motors. Samples may be submitted for checking by EFRA officials before the event. If found to comply with the rules then they will be added to this list.

Note:	These motors	differ from	Brushless	'Modified'	motors.

Motor Builder	Type/ Range	Illustration only	Notes	Approval Date		
	Motors below this level must comply with EFRA Rules :- App.3, 2.2 (9) which requires access to the stator to allow measurement and visual appraisal of the laminates. Also 2.2 (7), which requires the Rotor to be marked with Name or Logo & Part #.					
Reedy	Reedy Sonic M3 Part # 256		Sensored system. "Y" Wind. Black Alu. Cap & Sleeve, Alu. timing insert with 'R' logo. Adjustable sensor plate timing 0/+ 50 deg. Caps remove and stator can be removed, wind etched on stator. Nickel sintered rotor with one Alu. balance ring. Rotor Part # 273	17.10.15		
Motors	s below this leve		App.3, 2.2(9), which requires access to the stator to all appraisal of the laminates.	allow		
King Golden	Speed Passion V4.0 10.5R #SP001230	SPEED PASSION WORLD GLAW GENE COMPETITION	Sensored system. "Y" Wind. Black End-Plates & Sleeve with wind etched. Nickel sintered rotor with one Purple balance ring, 12.5 dia, 7.1 core. Adjustable timing 0 -40 deg. Has stator access.	09.03.15		
PRT Electronic	PRT AIR 10 Part # A10105	10.5T	Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, PRT on End-Plate. Nickel finish Rotor with Cyan Alu. balance ring, 12.5 dia, 7.2 core. Adjustable timing. Caps remove. Wind marked on sleeve. Has stator access. Rotor options:- PRT123RSHT Purple/Nickel. PRT125RS2 Grey/Nickel. PRT125RS Grey/Black. PRT123RS Purple/Black. Logo design updated.	19.01.15 14.08.15		
Hirosaka	Hirosaka Part # HSK- PRO105T	10.5 PHROSPINA	Sensored system. "Y" Wind. Black metal End-Bell with plastic timing insert. Adjustable timing 0-45. Black Can/Sleeve. Nickel sintered rotor with Purple balance ring, 12.3 dia, 7.1 core. Caps & sleeve remove, has stator access. Stator marked with wind.	15.12.14		
EZpower	EZ Kicker EZBR210R	RIGISTR	Sensored system. "Y" Wind. Gun-metal End-Plates & Sleeve. Adjustable red timing ring. Nickel sintered rotor with Red hollow balance ring marked EZ, 12.5 dia, 7.2 core. Caps & sleeve remove, has stator access.	17.11.14		
Tianco	ORCA RX3 Part # OMR105X3	TOTORIA MONTO	Sensored system. "Y" Wind. Black Can & E/Cap. Complete stator removes. Has stator access slots. ORCA RX3 & wind etched on End-Cap. End-Cap Alum., adjustable timing. Rotor with black balance ring 12.4 dia., 7.2 core. Rotor Part # OTR124ST	15.09.14 25.05.15		
Trinity	D4 Part # TEP 1700	TRINITY)	Sensored system. "Y" Wind. Purple Alu. timing plate with TRINITY & 4 etched. Caps and sleeve dark gun-metal, all parts remove. Nickel sintered rotor with one purple balance ring, 12.3 dia, 7.2 core. Adjustable sensor plate timing -10 + 60 deg. Has stator access. Optional rotor TEP 1112 approved	15.09.14		

Absima	Revenge V2 Part # 2130019		Sensored system. "Y" Wind. Black Alu. Caps & Grey Sleeve, Logo only on End-Plate. Sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Sensor plate timing 0/+ 40 deg. Caps & sleeve remove, wind marked on stator. Only V2 version approved	02.07.14
Reds Racing	VX Pt. # MTTE0005		Sensored system. "Y" Wind. Red metal End-Plate at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates & has wind etched. Rotor with Black drilled balance ring 12.5 dia, 7.2 core. Optional rotor:- # MSTE0009 allowed. NOTE: MSTE0011 does not comply with EFRA rules.	25.05.14
G Force	G Force Super Sonic Pt # G0007	C B A SurenSamp	Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, Alu. timing insert with logo printed. Nickel sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Adjustable sensor plate timing 0/+ 40 deg. Caps & sleeve remove, wind etched on stator. Option rotor GF400003-54	17.04.14 27.07.15
Team Epic	ReVtech Killshot Pt # REV1600. (Std. Ver.)	PEVIECH 10.5	Sensored system. "Y" Wind. End-Plate with Revtech etched. Stator sleeve with ReVtech & Wind painted, later versions not depicted with 't' Nickel sintered rotor with one purple balance ring, 12.3 dia, 7.2 core. Adjustable sensor plate timing 0-80 deg. Has stator access. Optional rotor TEP 1112 approved.	15.03.14 23.10.10
Hobbywing	Xerun V10 Pt. # 30401020046	HOBBYWING WINDSTERM TO STOCK MANAGEMENT OF THE PROPERTY OF T	Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo printed. Nickel sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Adjustable sensor plate timing -20/+ 50 deg. Stator and wind visible via. sleeve slots. (NOTE: early versions may not comply with stator access requirements).	06.01.14
Mtroniks	MX-1 Pt. # MTMX105	GRUENISTS SERVINS	Sensored system. "Y" Wind. Anodised Alum. End-Plates & Stator Sleeve, with wind printed. Fixed timing. Nickel sintered rotor with one hollow balance ring, 12.5 dia, 7.2 core. Stator visable via. Sleeve slots.	06.01.14
Muchmore	FLETA ZX Pt # MR-FZX105	10.5 FLETZIX	Sensored system. "Y" Wind. Black metal End-Bell with plastic timing plate, with adjustable timing 0-45. Black Can/Sleeve. Stator separates. Nickel sintered rotor with Blue drilled balance ring. Rotor 7.2 core, 12.3 dia. Optional rotor MRFZR12 allowed. Aluminium timing-plate MR-FZAT fitted to later versions.	29.07.13 05.08.14
Nosram	Pure 2 Evolution Spec. Racing Pt.# 91834	18.51 Gradus	Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Fixed End-Sleeve etched with wind. Sintered rotor, coloured Black, with 1 balance ring. Grey stator moulding. Rotor shaft Black stamped 12.5-25. Slot for stator access.	08.07.13
Team Wave	Eclipse # TW2011-105	TEAM WAVE	Sensored system. "Y" Wind. Black Alum. End-Plates. Adj. timing. Black Alum. stator sleeve with wind etched. Nickel sintered rotor with one plain balance ring, 12.5 dia, 7.17 core, marked 125-R. Stator visable via. Sleeve slots.	24.06.13
Tianco	ORCA TX Pt. # OTM 105TX		Sensored system. "Y" Wind. Dull Grey Aluminium casings. Main sleeve removes. Has stator access slots. ORCA TX & wind etched. End-Plate moulded, adjustable timing. 12.5mm Rotor no balance ring, shaft marked 125S-N. Option 123S-N. 12.3mm. Option EndPlate OME111TX allowed. New sensor Ass. CAS-0220TX-30 fitted.	17.06.13 10.03.14 20.07.14
Corally	Corally Pro Silver 10.5T 399105	CORRECTION	Sensored system. "Y" Wind. Plain Alum. End-Plates. Adj. timing. Plain Alum. stator sleeve with wind etched. Nickel sintered rotor with one Black balance ring, 12.4 dia, 7.18 core. Stator visable via. Sleeve slots. Also supplied with all Red S/Print decal.	17.06.13

LRP	X20 10.5T Spec. # 50834	STOCK SPEC	Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Fixed End-Sleeve etched with wind. Sintered rotor, coloured Black, with 1 balance ring. Grey stator moulding. Rotor shaft Black stamped 12.5-25. Slot for stator access.	22.04.13
Tekin	Redline GEN2 10.5T # TT2399		Sensored system. "Y" Wind. Black Alum. End-Plates, not joined. Adj. timing. Alum. Can with wind etched. Stator visable via. Sleeve holes. Nickel sintered rotor with one brass balance ring. Rotor 7.14 core, 12.5 dia	01.04.13
Reedy	Reedy Sonic Mach 2 # 234	10.5 SONIE.	Sensored system. "Y" Wind. Black metal End-Bell at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates. Nickel sintered rotor with drilled balance ring, 12.5 dia, 7.2 core # 956. Optional rotors:- # 954, # 955.	25.03.13
Savox	Savox SX.1 # SAV- BLH3650 991740	10.5 TURNING STORESTORES	Sensored system. "Y" Wind. Aluminium casings. Slot for stator access included. Main sleeve removes, stator spigoted into fixed casing. Saxox X1 & wind etched. End-Plate moulded, adjustable timing. Rotor has no balance ring.	25.03.13
Team Orion	VST2 Pro Stock 10.5. # ORI 28250		Sensored system. "Y" Wind. Grey one-piece Can. Black Aluminium End-Plate retained with five screws, adjustable moulded timing plate. Wind etched. Nickel sintered rotor, 12.5 dia, 7.1 core, no balance rings. Optional 12.4 dia, 7.2 core.	15.02.13
		•	ation of EFRA Rule - App.3, 2.2(9), which requires access stator laminates. (Some versions do allow stator acc	
Horizon Hobby	Dynamite Platinium 10.5T # DYP 1010	TOST MODE	Sensored system. "Y" Wind. Black Alluminium End-Plate at Term. End, with adjustable timing. Wind etched on Term. Sleeve, Stator mould & Stator Lams. Stator separates. Nickel sintered rotor with drilled balance ring, 12.5 dia, 7.2 core.	20.08.12
Hobbywing	Xerun Pt. # 90040091	8 0	Sensored system. "Y" Wind. Polished Auminium End-Plates, Hobbywing etched. Fixed timing. Blue stator sleeve with 10.5T & Pt.# etched. Sleeve & EndPlates also Gunmeteal colour. Side entry sensor plug. Nickel sintered rotor, 12.4 dia, 7.2 core. Rotor with one balancing ring.	13.08.12
Orion	Vortex VST Pro Stock 10.5. # ORI 28233	TO.ST	Sensored system. "Y" Wind. Grey one-piece Can. Grey End-Plate retained with four screws, adjustable timing. Wind etched. Nickel sintered rotor, 12.5 dia, 7.2 core, no balance rings.	16.04.12
Dualsky	Track & Field Z5 10.5T Pt # 53649	BRUSHLUSS >	Sensored system. "Y" Wind. Silver Sleeve & Mounting-Plate. Z5, 10.5T, Track&Field etched on sleeve. Black Alu. End-Plate & retaining ring. Adjustable timing 7 - 27 deg. Nickel sintered rotor with no balance ring, 12.5 dia, 7.2 core.	16.04.12
Team Epic	ReVtech R-Power Pt # REV1050	Re Atech II	Sensored system. "Y" Wind. Copper colour Aluminium End-Plates, ReVtech painted. Blue stator sleeve with ReVtech & Wind painted. Nickel sintered rotor with one purple balance ring, 12.45 dia, 7.2 core. Adjustable sensor plate timing. Mounting Plate with 3 x 5.9mm slots.	12.03.12
Vampire	Vampire Type AB+ Bloodline Pt. # VR-3105		Sensored system. "Y" Wind. Black Plastic End-Plate at Term. End, with adjustable timing. Sensor plug horizontal. Light-Red End plates. Wind etched. Nickel sintered rotor with no balance rings, 12.5 dia, 7.21 core.	12.03.12

Graupner	GM Brushless PRO. Pt. # 97410. 2012 version.	S C C C C C C C C C C C C C C C C C C C	Sensored system. "Y" Wind. Alum. Mounting-Plate with 3x5mm holes and 3 radiused slots. Plastic End-Cap with GM moulded. Adj. timing. Gun-Metal stator sleeve with Wind & Pt.# etched. Side entry sensor plug. Nickel rotor marked GM Stock, 12.51 dia, 7.24 core.	31.12.11
Thunder Power	Z3R-S Part # TPM-540A105	THIRDER & POWER !	Sensored system. "Y" Wind. Black Plastic Moulding at Term. End, with adjustable timing. Red Can/Sleeve with silver end cover. Wind etched on stator. Stator separates. Nickel sintered rotor with drilled red balance ring, 12.25 dia, 7.2 core. Optional Rotors:- Blue or Green balance ring.	17.10.11. 16.04.12.
	Reedy Sonic		Sensored system. "Y" Wind. Black Plastic End-Plate at Term. End, with adjustable timing.	04.07.11
Reedy	Pt. # 943	10.5 	Black Can/Sleeve. Wind etched. Stator separates. Nickel sintered rotor with drilled balance ring, 12.5 dia, 7.2 core. Later version has more timing graduations detailed & relocated pointer.	09.04.12
Speed Passion	Competition 3.0 MMM Version Pt.# SP000037		Sensored system. "Y" Wind. Dark Gun-Metal Aluminium Sleeve & End-Plates, SP etched. Sleeve with Wind & MMM etched. End-Plates with grooves. Red sensor board. Black sintered rotor with one balance ring, 12.3 dia, 7.2 core. Adjustable timing 11-20 deg.	04.07.11
Team	Plutonium		Sensored system. "Y" Wind. Black Aluminium End-Plates, Team Powers etched. Gun-Metal	
Powers	Pt.# TP-BLM- 105100PL		stator sleeve with 10.5T etched. Nickel sintered rotor with no balance ring, 12.32 dia, 7.28 core. Adjustable sensor plate timing.	16.05.11
Viper	Viper VST Pt. # 8VST 105001		Sensored system. "Y" Wind. Red Aluminium End-Plates, VST & 10.5T etched. Black grooved stator sleeve. Black sintered rotor with no balance rings, 12.5 dia, 7.35 core. Adjustable timing.	16.05.11
HPI	Flux Pro. Pt. # 101731	C B A 10.5T	Sensored system. "Y" Wind. Black Aluminium End-Plates, HPI etched. Black stator sleeve with Wind etched. Nickel sintered rotor, 12.5 dia, 7.2 core. Adjustable timing. Optional rotor - 12.2 dia, 7.2 core, Nickel plt Optional rotor 107252 - Mag. & shaft Black.	28.03.11
PRT	PRT Lmited Edition. Pt.# PRT 2011 105HT DTM	EDITION N:22	Sensored system. "Y" Wind. Black Aluminium End-Plates, PRT etched. Black stator sleeve with 10.5T etched. Black sintered rotor 12.4 dia, 7.20 core. Optional rotor 12.25 dia., 7.20 core Rotor with one balancing ring. Adjustable timing.	09.02.11
Graupner	GM Brushless PRO. Pt.# 97350 2011 version.	#97350 (#97350) (#97350) (#97350 (#97350) (#97350) (#97350) (#97350) (Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, GM-Racing etched. 5 timing threads. Gun-Metal stator sleeve with S10.5T & Pt.# etched. Side entry sensor plug. Black sintered rotor, 12.4 dia, 7.22 core. Rotor with one balancing ring.	31.01.11
Speed Passion	3.0 - 10.5R Pt.# SP1C105V3 1Cell	Sussian 30	Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, SP & 10.5T etched. Gun-Metal stator sleeve with SP10.5T & 1Cell etched. Black sensor board. Black sintered rotor with one balance ring, 12.2 dia, 7.21 core. Adjustable timing 0-10.	31.01.11
Tianco	ORCA RX2 Pt. # OBM105X2	ORGA ORGA ORGA ORGA ORGA ORGA ORGA ORGA	Sensored system. "Y" Wind. Gun-Metal End-Plates, RX2 & 10.5T etched. Gun-Metal sleeve with RX2 & 10.5T etched. Black rotor, one balance ring, 12.2 dia, 7.22 core. Adjustable sensor plate timing. Optional rotor OMA123PX 12.2mm nickel.	31.01.11
	O DIVITOON Z	COLUMN TO THE REAL PROPERTY.	Mounting Plate 3 x 6mm holes & chamfer.	31.12.11

Trinity	Trinity D3 Pt. # TEP1050	STOIL	Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, Trinity etched. Black stator sleeve with D3 & 10.5T etched. Nickel sintered rotor with one balance ring, 12.3 dia, 7.22 core. Adjustable sensor plate timing.	31.01.11
Dualsky	Track & Field. Pt. # 53352	DUALSKY DUALSKY POPULOSD Stock ((Sensored system. "Y" Wind. Aluminium End-Plates plus Blue ring. Track & Field moulded on timing plate. Adjustable timing on sensor mounting. Stator sleeve with 10.5 etched. Nickel plated sintered rotor, 12.4 dia, 7.20 core with 21mm Al. fan.	14.06.10
Team Powers	Team Powers Brushless 10.5 Turns Pt. # TPBLM 105100	10.5 TURNS	Sensored system. "Y" Wind. Black Aluminium End-Plates, Team Powers etched. 5 outer timing threads, 3 sensor mount threads. Black & Gold stator sleeves with 10.5T etched. Nickel plated sintered rotor, 12.3 dia, 7.22 core. No balancing rings.	12.04.10
Graupner	GM Brushless PRO. Pt.# 97290 2010 version.	#97290 #97290 \$1057	Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, GM-Racing etched. 5 timing threads. Gun-Metal stator sleeve with S10.5T & Pt.# etched. Side entry sensor plug. Black sintered rotor, 12.3 dia, 7.22 core. Rotor with one balancing ring.	01.02.10
LRP	X12 Vector Stock Spec. Pt.# 50832	Stock Spec	Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Sleeve etched "10.5 Turns". Black Sintered rotor, 12.5 dia, 7.1 core. Rotor shaft, Black. Manufacturers 'grooved' Al. End-Bell with name engraved allowed at terminal end. Optional green rotor 50639 12.2, 7.1 core. Later versions have rotor shaft stamped.	23.11.09 31.01.11 28.05.12
Nosram	Pure Evolution Spec. Racing Version. Pt.# 91831	WWW/ABSIDE OUT	Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Sleeve etched "10.5 Turns". Black Sintered rotor, 12.5 dia, 7.1 core. Rotor shaft, Black. Manufacturers 'grooved' Al. End-Bell with name engraved allowed at terminal end. Optional green rotor 90639 12.2, 7.1 core. Later versions have rotor shaft stamped.	23.11.09 31.01.11 28.05.12
Speed Passion	3.0 - 10.5R Pt.# SP138105V3	10.5R	Sensored system. "Y" Wind. Light Gun-Metal Aluminium End-Plates, SP & 10.5T etched. Light Gun-Metal stator sleeve with SP10.5T etched. Black sensor board. Black sintered rotor with one balance ring, 12.3 dia, 7.22 core. Adjustable timing 0-10.	05.10.09
Novak	Ballistic Pt. # 3610	MOVALÍ NOVALÍ	Sensored system. "Y" Wind. Black Al. End-Plate with NOVAK etched. Stator sleeve with 10.5T label. Nickel plated sintered rotor, 12.3 dia, 7.22 core. 3/16 Bearing at Pinion end. Blue plastic denoting 10.5. Adjustable timing. Vented End-bells # 5925 approved.	07.09.09
WAVE	WAVE Linear Pt.# TW2001-105	C C C C C C C C C C C C C C C C C C C	Sensored system. "Y" Wind. Black Aluminium End-Plates with SP etched under label. Black stator sleeve with 10.5T etched. Black sintered rotor, 12.3 dia, 7.22 core. Rotor with one balancing ring.	16.03.09
Graupner	GM Brushless PRO. Pt.# 97290	#97290 #97290 #97288 #97288 #97288 #97288	Sensored system. "Y" Wind. Dark Gun-Metal Aluminium End-Plates, GM-Racing etched. Dark Gun-Metal stator sleeve with S10.5T & Pt.# etched. Black sintered rotor, 12.3 dia, 7.22 core. Rotor with one balancing ring.	02.03.09
Tekin	Tekin Redline 10.5T Spec. Pt. # TT2253 (Etched Can)	TEX.	Sensored system. "Y" Wind. Red Aluminium mounting plate. Black moulded End-Bell with Tekin. Grooved Al. bonded stator sleeve with 10.5T etched. Nickle plated sintered rotor, 12.5 dia, 7.26 core. No balance rings.	15.12.08

Speed Passion	Speed Passion Stock Pt. # SPF105	10.5R	Sensored system. "Y" Wind. Black Aluminium End-Plates with SP 10.5T. Black stator sleeve with 10.5T engraved. Black sintered rotor, 12.3 dia, 7.25 core. Rotor with one balancing ring.	08.09.08
LRP	Vector X11 Stock Spec. Pt. # 50830		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Blue anodised ring. Chamfered mounting face. Sleeve etched "10.5 Turns". Sintered rotor, 12.3 dia, 7.35 core. Rotor shaft, Black. Manufacturers 'slotted' End Plates (std. & thin versions) allowed at pinion end. Manufacturers later 'grooved' Al. End Plate with name engraved allowed at terminal end.	09.06.08 19.07.08
Novak	SS Pro. Pt. # 3410	10.5	Sensored system. "Y" Wind. Black moulded End-Bell with NOVAK. Blue plastic ring. Mounting face with or without chamfer. Stator marked "10.5 Turns". Nickel Plt. Sintered rotor, 12.3 dia, 7.25 core. Rotor shaft with plain bevel at pinion end.	14.04.08 28.04.08
Nosram	Spec.' Storm Evolution Pt. # 91830		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Blue anodised ring. Chamfered mounting face. Sleeve etched "10.5 Turns". Sintered rotor, 12.3 dia, 7.35 core. Rotor shaft, Black. Manufacturers 'slotted' End Plates (std. & thin versions) allowed at pinion end. Manufacturers later 'grooved' Al. End Plate with name engraved allowed at terminal end.	07.04.08. 19.07.08.
Paul Worsley. (EFRA Chairman) 17.10.1				