

EFRA ANNUAL SECTION MEETING HOTEL NH Wien Airport, Vienna Austria 5-6th of November 2016

Agenda Large Scale

SATURDAY 5th of November 2016.

The meeting started at: 14.00

1. CHAIRMAN'S WELCOME

Mr Ian Oddie

The Large Scale Chairman opened the meeting

2. APOLOGIES FOR ABSENCE

Apologies have been received from

Member Countries presents, section subscription, allocations etc:

20 places are allocated according to App. 5-- 1.4

	Touring Cars		Formula
1		1	
2		2	
3		3	
4		4	
5		5	
6		6	
7		7	
8		8	
9		9	
10		10	
11		11	
12		12	
13		13	
14		14	
15		15	
16		16	
17		17	
18		18	
19		19	
20		20	

COUNTRY	PRESENT	SECTION SUBSCR	EC	EC Re	EC2WD Off road	EC 4WD Off road	wc
AUSTRIA							
BELARUS							
BELGIUM							
BULGARIA							
CROATIA							
CZECH REP.							
DENMARK							

ESTONIA				
FINLAND				
FRANCE				
GERMANY				
GREAT BRITAIN				
GREECE				
HUNGARY				
IRELAND				
ITALY				
LUXEMBOURG				
MONACO				
NETHERLANDS				
NORWAY				
POLAND				
PORTUGAL				
RUSSIA				
SLOVAK REP.				
SLOVENIA				
SPAIN				
SWEDEN				
SWITZERLAND				
TURKEY				
TOTAL				

Allocations can be changed till December 21th 2016.

Other persons present:

3. MINUTES OF 2015 SECTION MEETING

November 2015— Valencia, Spain

Matters arising from the minutes:

The minutes were checked and accepted as written at the AGM 2015.

Seconded by:

The following person was elected to check the minutes of this year:

4. CORRESPONDENCE RECEIVED

5. CHAIRMAN'S REPORT

6. PRESENTATIONS FOR APPLICATIONS EC 2018 AND GP'S 2017

The section has received the following applications to host coming EFRA events. These proposals have reached us in time, not other proposal will be accepted after distribution of the agenda.

Year/Date	Alt. Date	Status	Country	Venue
2017		GP	Croatia	Zagreb
2017		GP	Austria	Kirchberg
2017		GP	Switzerland	Lostallo
2017		GP	Germany	Leipzig

2017	GP	Netherlands	Groningen
2017	GP	Italy	Cremona
2017	GP	Sweden	Staffansdorp
2017	GP Off Road	Bulgaria	Vratza/Ledenica
2018	EC	France	Tourlaville
2018	EC	Croatia	Zagreb
2018	EC	Germany	Leipzig
2018	EC	Austria	Kirchberg
2018	EC	Portugal	Vila Real
2018	EC Off Road	Austria	Fehring
2019	WC	Portugal	Vila Real

Final Race calendar 2017

Year/Date	Alt. Date	Status	Country	Venue
2017		EC Off Road	Great Britain	Nene Valley/Podington
2017		EC TC	Switzerland	Lostallo
2017		EC F1		
2017		WC		

Future Race calendar Championships

Year/Date	Alt. Date	Status	Country	Venue
2018				

7. ALLOCATIONS

Allocations were made to each country as printed in the table form under item 2 on the agenda. All Federations MUST confirm their FINAL Allocation Numbers for each event to the relevant Section Chairman by 21th. December LATEST.

8. RULE PROPOSALS

Note: The EFRA Committee has studied all received proposals and has come to an opinion over each one, The EFRA Section Chairman will inform the floor of such positions.

APPENDIX 5 LARGE SCALE I.C. TRACK RULES

THE RULE SHOULD BE AMENDED TO READ:

1.1.

Existing Rule:	 There will be two annual events called European Championships to determine the European Champion in: a.) 1:5 Scale Touring Cars b.) 1:6 Scale Off Road Cars 2WD + 4WD + Short Course c.) - a single Formula 1 European Championship 2016 to be organized a week before Touring Car EC, starting from Thursday till Saturday. Formula 1 European Championship 2016 to be open for non European drivers. Formula 1 class will be driven in the reverse direction to the Touring cars
	direction to the Touring cars.

	There will not be a 1:5 touring car European Championship event held in the same year as an IFMAR World Championship event held in Europe, the 4 EFRA GP's will determine the European Champion in Touring car with the 3 best results counting. The Formula 1 Championship will be run in conjunction with the 4 EFRA GP's, with 3 results held for the attribution of the Champion Title. For the F1 Championship the point system according to rule 1.4 will be used. For an event used as a drop result the TQ point will not count.
Proposal:	There will be two annual European Championships to determine the European Champion in: a.) 1:5 Scale Touring Cars + Formula 1 b.) 1:6 Scale Off Road Cars 2WD + 4WD + Short Course Drivers can only enter one class at a European Championship. There will not be a 1:5 touring car European Championship event held in the same year as an IFMAR World Championship event held in Europe, the 4 EFRA GP's will determine the European Champion in Touring car and Formula 1 with the 3 best results counting.
Remarks:	Run the Formula 1 class within the touring car ec (separate heats/finals), same direction. With the low numbers it's not viable for an organiser/efra to run the Formula 1 as a separate event. Combined with touring cars the class will be very well supported along with the media coverage. Drivers can only enter one class at a European Championship, for example a driver can do both on road and off road ec's, but they can not enter both touring cars and F1, or at the off road ec the 2wd/4wd/short course. This is to prevent a driver gaining extra practice in a class they're not really interested in and/or competing in when it's not their primary class, Delete the F1 ec from the gp series paragraph.

Proposed by Ian Oddie, EFRA

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

o Rejected with for, against and abstentions. o Amended

THE RULE SHOULD BE AMENDED TO READ:

1.4.	
Existing Rule:	 Qualification for the European Championships and World Championships 1:5th Touring Cars and F1: 20 places for the European Championships and 7 places for the World Championships for the following years meetings will be offered to the highest ranked drivers competing in the large scale EFRA GP series. The remainder will be split as per normal between countries as outlined in general rule 3.6. Only the EFRA GP Meetings will count for the points system, with the drivers best 3 meetings out of the 4 to count. If there are less than 4 EFRA GPs then they will all count. Points system to use: 1 = 150, 2 = 147, 3 = 145, 4 = 144, 5 = 143, 10 = 138, 11 = 135, 12 = 134 TQ = 1 extra point. If a concource competition is held at an EC, only cars and bodies that are used in the race are eligible.
Proposal:	 Qualification for the European Championships and World Championships 1:5th Touring Cars and F1: 20 places for the European Championships and 7 places for the World Championships for the following years meetings will be offered to the highest ranked drivers competing in the large scale EFRA GP series. The remainder will be split as per normal between countries as outlined in general rule 3.6. Only the EFRA GP Meetings will count for the points system, with the drivers best 3 meetings out of the 4 to count. Points will only be awarded to a driver if they compete in their final/s. If there are less than 4 EFRA GPs then they will all count. Points system to use: 1 = 150, 2 = 147, 3 = 145, 4 = 144, 5 = 143, 10 = 138, 11 = 135, 12 = 134 TQ = 1 extra point. If a concource competition is held at an EC, only cars and bodies that are used in the race are eligible.
Remarks:	Drivers must compete in their final/s to be awarded points in the gp series. To try and encourage drivers to compete and remain at the events until the end even if the track is wet.

Proposed by Ian Oddie, EFRA

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

o Rejected with for, against and abstentions. o Amended

	THE RULE SHOULD BE AMENDED TO READ:						
2.1.							
Existing Rule:	Duration of the races:						
	Free practice max.	8 minutes					
	Heats	10 minutes (plus the last lap and time of the last lap)					
	Sub-finals min.	15 minutes, max. 20 minutes up from the 1/32 final and 30 minutes for semi finals					
	Final Saloon	30 minutes (plus the last lap and time of the last lap)					
	Final Formula 1	50 minutes, 1 single fuel stop (plus the last lap and time of the last lap)					
		ast lap and time of the last lap) Rolling starts. Half finals 30 is the last lap and time of the last lap.					
Proposal:	Duration of the races:						
	Free practice max.	8 minutes					
	Heats	10 minutes (plus the last lap and time of the last lap)					
	Sub-finals min.	15 minutes, max. 20 minutes up from the 1/32 final and 30 minutes for semi finals					
	Final Saloon	30 minutes (plus the last lap and time of the last lap)					
	Semi Final Formula 1	30 minutes, 1 single fuel stop (plus the last lap and time of the last lap)					
	Final Formula 1	50 minutes, 1 single fuel stop (plus the last lap and time of the last lap)					

Remarks: Tidy the rules, add in the F1 semi final time/fuel stop into general race procedures. Delete special F1 regs, no longer needed now as they're just duplicates from the general race procedures for large scale.

Proposed by Ian Oddie, EFRA

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

o Rejected with for, against and abstentions. o Amended

THE RULE IS NEW:

2.4			
Existing Rule:	No cars are allow General qualifica There will be a M the number of dri announced prior If there are 60 dri If there are betwe If there are more	be closed for Large ved on the track bef tion format for EC's inimum of 4 and a	Maximum of 6 series of 10 minutes heats depending on of series, time schedule and heat order to be qualification. ids. rs, 5 rounds. ounds.

			organiser)	
	Tuesday	09:00-18:00	Free practice (in full heats made by the organiser)	
	Wednesday	09:00-18:00	Timed practice /tech inspection/heats(a minimum of the car/body checked and marked, engine marking is optional)/heats	
	Thursday		qualification heats	
	Friday		qualification heats, lower finals	
	Saturday	09:00 - 17:00	sub-finals and final. Prize giving ceremony	
Proposal:	At every bigger event, drivers groups, made by organizer, must be confirmed by team menagers, at team menager meeting, before event starts. Groups must be made respecting current drivers performance.			
Remarks:	Keeping a 'know driver(s) in stronger groups just because of his good results a past must be out. Last EC in Bologna we've witnessed that a few "names" have been kept in stronger groups despite worse performance, and few drivers with excellent practice and timide practice results, have been kept in lower groups.			
Proposed by HAMS Hrvatski Automodelarski Savez,				
Seconded by: o Not Seconded				
The proposal: o Passed Unanimously o Passed with for, against and abstentions.				

o Rejected with for, against and abstentions. o Amended

THE RULE IS NEW: 2.4 **Existing Rule:** TIME SCHEDULE for EC EC Tracks must be closed for Large Scale Racing, two weeks prior of the event. No cars are allowed on the track before Monday morning. General qualification format for EC's: There will be a Minimum of 4 and a Maximum of 6 series of 10 minutes heats depending on the number of drivers. The number of series, time schedule and heat order to be announced prior to the first round of qualification. If there are 60 drivers or less, 6 rounds. If there are between 60 and 80 drivers, 5 rounds, If there are more than 80 drivers, 4 rounds. The event starts on Monday morning. Free practice (in full heats made by the 09:00-18:00 Monday organiser) Free practice (in full heats made by the Tuesday 09:00-18:00 organiser) Timed practice /tech inspection/heats(a Wednesday 09:00-18:00 minimum of the car/body checked and marked, engine marking is optional)/heats Thursday qualification heats Friday qualification heats, lower finals 09:00 - 17:00 sub-finals and final. Prize giving ceremony Saturday Proposal: At every bigger EFRA event, as EC or WC, team menager meetinig must be held twice a day. Every day of event. At morning, no later than 8,15h, and at evening 18,30-19,00. **Remarks:** At event a larger number of participants, sometimes means a larger number os questions and conserns, addressed to the organizer, 'twice a day meeting will provide current resolving issues arrising in the meantime.

Proposed by HAMS Hrvatski Automodelarski Savez,

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

	THE RULE SHO	OULD BE AMENDE	D TO READ:		
2.4					
Existing Rule:	 TIME SCHEDULE for EC EC Tracks must be closed for Large Scale Racing, two weeks prior of the event. No cars are allowed on the track before Monday morning. General qualification format for EC's: There will be a Minimum of 4 and a Maximum of 6 series of 10 minutes heats depending on the number of drivers. The number of series, time schedule and heat order to be announced prior to the first round of qualification. If there are 60 drivers or less, 6 rounds. If there are between 60 and 80 drivers, 5 rounds. If there are more than 80 drivers, 4 rounds. The event starts on Monday morning. 				
	Monday	09:00-18:00	Free practice (in full heats made by the organiser)		
	Tuesday	09:00-18:00	Free practice (in full heats made by the organiser)		
	Wednesday	09:00-18:00	Timed practice /tech inspection/heats(a minimum of the car/body checked and marked, engine marking is optional)/heats		
	Thursday		qualification heats		
	Friday		qualification heats, lower finals		
	Saturday	09:00 - 17:00	sub-finals and final. Prize giving ceremony		
Proposal:	EC Tracks must No cars are allo General qualifica There will be a N the number of d announced prior If there are 60 d If there are betw The event starts	TIME SCHEDULE for EC EC Tracks must be closed for Large Scale Racing, two weeks prior of the event. No cars are allowed on the track before Monday morning. General qualification format for EC's: There will be a Minimum of 4 and a Maximum of 6 series of 10 minutes heats depending on the number of drivers. The number of series, time schedule and heat order to be announced prior to the first round of qualification. If there are 60 drivers or less, 6 rounds. If there are between 60 and 80 drivers, 5 rounds. The event starts on Monday morning. Approximate time schedule;-			
	Monday	09:00-18:00	Free practice (in full heats made by the organiser)		
	Tuesday	09:00-18:00	Free practice (in full heats made by the organiser)		
	Wednesday	09:00-18:00	Timed practice /tech inspection/qualification heats(a minimum of the car/body checked and marked, engine marking is optional) /heats		
	Thursday		qualification heats		
	Friday		qualification heats, lower finals		
	Saturday	09:00 - 17:00	sub-finals and final. Prize giving ceremony		
Remarks:	Add in approvim	ate time schedule	allows for some flexibility especially when we have 140+		
Nomai N3.	drivers and it's i		rounds of qualifying between 9am and 6pm!. Remove a		

duplicate 'heat' from Wednesday.

Proposed by Ian Oddie, EFRA

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

o Rejected with for, against and abstentions. o Amended

THE RULE SHOULD BE AMENDED TO READ:

4.1.


Existing Rule: ENGINE and FUEL

For Formula 1, Off Road and Fifth Scale Saloon:

1. Only one marked engine allowed. In case of rain situation, a second engine could be allowed during the time of wet track. The race director (or his substitute) may decide an engine replacement of the same type or repair in case of failure. The replaced engine will be kept in race control till the end of the event. A driver changing engine will receive an automatic stop and go in his first final. Each driver is only allowed to use a maximum of 2 engines per event. 2. The engine to be a single cylinder, 2 or 4 stroke, maximum 23ccm, maximum 26ccm for F1, 2wd, 4wd, and maximum 30 ccm for short course pull starter or external electric starter. Electric starters can only be used in the pitlane and under no circumstances to be used on the race-track. There must be a secure protection on the flywheel cover to prevent people touching the flywheel or moving parts.

3. No Turbo charging, Fuel injection, Supercharging, Wankel or rotary valve/ distribution engines are allowed.

4. All ignition must be mechanically fixed, only manual static adjustment is allowed. The flywheel can only have 1(one)pair of magnetic poles (ie one north and one south). There can only be a maximum of 2 coils (either a single combined LT and HT coil with the standard type ignition or two LT coils with the external ignition systems) working with the flywheel/rotor.




STANDARD IGNITION SYSTEM

5. No Battery operated ignition allowed. Only a passive ignition system using R.P.M. as the single input parameter is allowed.

6. Only open deck admission ports are allowed. The removal of material is free as long as the modified shape of the transfer/admission port walls are in

the direction of the cylinder bore at all times.

7. The Cylinder block must be of a single casting. no independent liners or slipping liners are allowed.



8. The maximum numbers of admission ports is limited to 4.

Engine must be air cooled. The air being driven directly by the flywheel.
 The crankshaft must be of split shaft configuration, with enclosed big end. No half crankshafts allowed.

11. An air filter must be fitted to the carburettor.

12. The maximum venturi diameter of the carburettor is limited to 13 mm.

13. Only fuel admitted will be petrol normally available at street petrol stations. The fuel must be bought at a fuel Station within the vicinity of the event. Details of the fuel station location and opening times should be provided by the race organiser prior to the event commencement, Fuel testing should begin prior to the start of qualification. Special fuel's like

Avgas, race fuel etc. are strictly forbidden. The only additive allowed is mass production two stroke oil.

Technical inspection may ask for a sealed bottle of that oil, to check it.

If a fuel is found suspect, the driver will be asked to mix his fuel at technical inspection, so it can be verified.

If an organiser is able to provide fuel at the track, all competitors have to use this fuel. The price of this fuel must not exceed the normal street price by more that 5%. Fuel tests may be made at random during the race. If a fuel is found illegal, the driver will be disqualified from the particular event, he may loose his EFRA licence for up to ten years. The fuel tester must be available to the competitors during the event.

If a driver want's to protest that decision, he has to make a written protest to EFRA with a deposit of 500.- EUR.

All drivers that qualify for the semi finals will have their fuel tank capacity tested prior to the semi finals. After testing the fuel tank will be emptied, the drivers fuel container will be marked and remain in technical inspection (facilities permitting) until the driver/car is preparing to go out on track for their semi final and main final warm up. Only fuel from the drivers own marked fuel container is allowed to be used.

Proposal: ENGINE and FUEL


For Formula 1, Off Road and Fifth Scale Saloon:

1. Only one marked engine allowed. In exceptional circumstances the race director may allow a second engine during the time of a wet track. The marked engine maybe repaired/serviced and parts replaced except for the cylinder. If a second engine or a cylinder is replaced, the originals will be kept in race control until the end of the event. A driver changing engine will receive an automatic stop and go in his first final unless the first engine/cylinder is shown to be beyond repair and outside the drivers control to Technical inspection. Each driver is only allowed to use a maximum of 2 engines per event.

2. The engine to be a single cylinder, 2 or 4 stroke, maximum 23ccm, maximum 26ccm for F1, 2wd, 4wd, and maximum 30 ccm for short course pull starter or external electric starter. Electric starters can only be used in the pitlane and under no circumstances to be used on the race-track. There must be a secure protection on the flywheel cover to prevent people touching the flywheel or moving parts.

3. No Turbo charging, Fuel injection, Supercharging, Wankel or rotary valve/ distribution engines are allowed.


4. All ignition must be mechanically fixed, only manual static adjustment is allowed. The flywheel can only have 1(one)pair of magnetic poles (ie one north and one south). There can only be a maximum of 2 coils (either a single combined LT and HT coil with the standard type ignition or two LT coils with the external ignition systems) working with the flywheel/rotor.



5. No Battery operated ignition allowed. Only a passive ignition system using R.P.M. as the single input parameter is allowed.

6. Only open deck admission ports are allowed. The removal of material is free as long as the modified shape of the transfer/admission port walls are in the direction of the cylinder bore at all times.

7. The Cylinder block must be of a single casting. no independent liners or slipping liners are



allowed.

8. The maximum numbers of admission ports is limited to 4.

9. Engine must be air cooled. The air being driven directly by the flywheel.

10. The crankshaft must be of split shaft configuration, with enclosed big end. No half crankshafts allowed.

11. An air filter must be fitted to the carburettor.

12. The maximum venturi diameter of the carburettor is limited to 13 mm.

13. Only fuel admitted will be petrol normally available at street petrol stations. The fuel must be bought at a fuel Station within the vicinity of the event. Details of the fuel station location and opening times should be provided by the race organiser prior to the event

commencement, Fuel testing should begin prior to the start of qualification. Special fuel's like Avgas, race fuel etc. are strictly forbidden. The only additive allowed is mass production two stroke oil.

Technical inspection may ask for a sealed bottle of that oil, to check it.

If a fuel is found suspect, the driver will be asked to mix his fuel at technical inspection, so it can be verified.

If an organiser is able to provide fuel at the track, all competitors have to use this fuel. The price of this fuel must not exceed the normal street price by more that 5%. Fuel tests may be made at random during the race. If a fuel is found illegal, the driver will be disqualified from the particular event, he may loose his EFRA licence for up to ten years. The fuel tester must be available to the competitors during the event.

If a driver want's to protest that decision, he has to make a written protest to EFRA with a deposit of 500.- EUR.

All drivers that qualify for the semi finals will have their fuel tank capacity tested prior to the semi finals. After testing the fuel tank will be emptied, the drivers fuel container will be marked and remain in technical inspection (facilities permitting) until the driver/car is preparing to go out on track for their semi final and main final warm up. Only fuel from the drivers own marked fuel container is allowed to be used.

Remarks: Allow repairs and servicing on a marked engine, replace any parts except the cylinder without penalty, Also allow an engine change without penalty after a catastrophic engine failure outside the drivers control.

Proposed by Ian Oddie, EFRA

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

o Rejected with for, against and abstentions. o Amended

THE RULE SHOULD BE AMENDED TO READ:

4.1.

Existing Rule: ENGINE and FUEL


For Formula 1, Off Road and Fifth Scale Saloon:

1. Only one marked engine allowed. In case of rain situation, a second engine could be allowed during the time of wet track. The race director (or his substitute) may decide an engine replacement of the same type or repair in case of failure. The replaced engine will be kept in race control till the end of the event. A driver changing engine will receive an automatic stop and go in his first final. Each driver is only allowed to use a maximum of 2 engines per event.

2. The engine to be a single cylinder, 2 or 4 stroke, maximum 23ccm, maximum 26ccm for F1, 2wd, 4wd, and maximum 30 ccm for short course pull starter or external electric starter. Electric starters can only be used in the pitlane and under no circumstances to be used on the race-track. There must be a secure protection on the flywheel cover to prevent people touching the flywheel or moving parts.


3. No Turbo charging, Fuel injection, Supercharging, Wankel or rotary valve/ distribution engines are allowed.

4. All ignition must be mechanically fixed, only manual static adjustment is allowed. The flywheel can only have 1(one)pair of magnetic poles (ie one north and one south). There can only be a maximum of 2 coils (either a single combined LT and HT coil with the standard type ignition or two LT coils with the external ignition systems) working with the flywheel/rotor.



5. No Battery operated ignition allowed. Only a passive ignition system using R.P.M. as the single input parameter is allowed.

6. Only open deck admission ports are allowed. The removal of material is free as long as the modified shape of the transfer/admission port walls are in the direction of the cylinder bore at all times.
7. The Cylinder block must be of a single casting. no independent liners or slipping liners are allowed.



8. The maximum numbers of admission ports is limited to 4.

9. Engine must be air cooled. The air being driven directly by the flywheel.

10. The crankshaft must be of split shaft configuration, with enclosed big end. No half crankshafts allowed.

11. An air filter must be fitted to the carburettor.

12. The maximum venturi diameter of the carburettor is limited to 13 mm.

13. Only fuel admitted will be petrol normally available at street petrol stations. The fuel must be bought at a fuel Station within the vicinity of the event. Details of the fuel station location and opening times should be provided by the race organiser prior to the event

commencement, Fuel testing should begin prior to the start of qualification. Special fuel's like Avgas, race fuel etc. are strictly forbidden. The only additive allowed is mass production two stroke oil.

Technical inspection may ask for a sealed bottle of that oil, to check it.

If a fuel is found suspect, the driver will be asked to mix his fuel at technical inspection, so it can be verified.

If an organiser is able to provide fuel at the track, all competitors have to use this fuel. The price of this fuel must not exceed the normal street price by more that 5%. Fuel tests may be made at random during the race. If a fuel is found illegal, the driver will be disqualified from the particular event, he may loose his EFRA licence for up to ten years. The fuel tester must be available to the competitors during the event.

If a driver want's to protest that decision, he has to make a written protest to EFRA with a deposit of 500.- EUR.

All drivers that qualify for the semi finals will have their fuel tank capacity tested prior to the semi finals. After testing the fuel tank will be emptied, the drivers fuel container will be marked and remain in technical inspection (facilities permitting) until the driver/car is preparing to go out on track for their semi final and main final warm up. Only fuel from the drivers own marked fuel container is allowed to be used.

Proposal: ENGINE and FUEL


For Formula 1, Off Road and Fifth Scale Saloon:

1. Only one marked engine allowed. In case of rain situation, a second engine could be allowed during the time of wet track. The race director (or his substitute) may decide an engine replacement of the same type or repair in case of failure. The replaced engine will be kept in race control till the end of the event. A driver changing engine will receive an automatic stop and go in his first final. Each driver is only allowed to use a maximum of 2 engines per event.

2. The engine to be a single cylinder, 2 or 4 stroke, maximum 23ccm, maximum 26ccm for F1, 2wd, 4wd, and maximum 30 ccm for short course pull starter or external electric starter. Electric starters can only be used in the pitlane and under no circumstances to be used on the race-track. There must be a secure protection on the flywheel cover to prevent people touching the flywheel or moving parts.

3. No Turbo charging, Fuel injection, Supercharging, Wankel or rotary valve/ distribution engines are allowed.


4. All ignition must be mechanically fixed, only manual static adjustment is allowed. The flywheel can only have 1(one)pair of magnetic poles (ie one north and one south). There can only be a maximum of 2 coils (either a single combined LT and HT coil with the standard type ignition or two LT coils with the external ignition systems) working with the flywheel/rotor.



5. No Battery operated ignition allowed. Only a passive ignition system using R.P.M. as the single input parameter is allowed.

6. Only open deck admission ports are allowed. The removal of material is free as long as the modified shape of the transfer/admission port walls are in the direction of the cylinder bore at all times.

7. The Cylinder block must be of a single casting. no independent liners or slipping liners are



allowed.

8. The maximum numbers of admission ports is limited to 4.

9. Engine must be air cooled. The air being driven directly by the flywheel.

10. The crankshaft must be of split shaft configuration, with enclosed big end. No half crankshafts allowed.

11. An air filter must be fitted to the carburettor.

12. The maximum venturi diameter of the carburettor is limited to 13 mm.

13. Only fuel admitted will be petrol normally available at street petrol stations. The fuel must be bought at a fuel Station within the vicinity of the event. Details of the fuel station location and opening times should be provided by the race organiser prior to the event

commencement, Fuel testing should begin prior to the start of qualification. Special fuel's like Avgas, race fuel etc. are strictly forbidden. The only additive allowed is mass production two stroke oil.

Technical inspection may ask for a sealed bottle of that oil, to check it.

If a fuel is found suspect, the driver will be asked to mix his fuel at technical inspection, so it can be verified.

If an organiser is able to provide fuel at the track, all competitors have to use this fuel. The price of this fuel must not exceed the normal street price by more that 5%. Fuel tests may be made at random during the race. If a fuel is found illegal, the driver will be disqualified from the particular event and they will not be allowed to enter an EFRA Large Scale event for the remainder of the the current year and the full 12 months of the following year. The fuel tester must be available to the competitors during the event.

If a driver want's to protest that decision, he has to make a written protest to EFRA with a deposit of 500.- EUR.

All drivers that qualify for the semi finals will have their fuel tank capacity tested prior to the semi finals. After testing the fuel tank will be emptied, the drivers fuel container will be marked and remain in technical inspection (facilities permitting) until the driver/car is preparing to go out on track for their semi final and main final warm up. Only fuel from the drivers own marked fuel container is allowed to be used.

Remarks: Clarify the penalty for using illegal fuel.

Proposed by Ian Oddie, EFRA

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

o Rejected with for, against and abstentions. o Amended

THE RULE SHOULD BE AMENDED TO READ:

4.1.

Existing Rule: ENGINE and FUEL


For Formula 1, Off Road and Fifth Scale Saloon:

1. Only one marked engine allowed. In case of rain situation, a second engine could be allowed during the time of wet track. The race director (or his substitute) may decide an engine replacement of the same type or repair in case of failure. The replaced engine will be kept in race control till the end of the event. A driver changing engine will receive an automatic stop and go in his first final. Each driver is only allowed to use a maximum of 2 engines per event.


2. The engine to be a single cylinder, 2 or 4 stroke, maximum 23ccm, maximum 26ccm for F1, 2wd, 4wd, and maximum 30 ccm for short course pull starter or external electric starter. Electric starters can only be used in the pitlane and under no circumstances to be used on the race-track. There must be a secure protection on the flywheel cover to prevent people touching the flywheel or moving parts.

3. No Turbo charging, Fuel injection, Supercharging, Wankel or rotary valve/ distribution engines are allowed.

4. All ignition must be mechanically fixed, only manual static adjustment is allowed. The flywheel can only have 1(one)pair of magnetic poles (ie one north and one south). There can only be a maximum of 2 coils (either a single combined LT and HT coil with the standard type ignition or two LT coils with the external ignition systems) working with the flywheel/rotor.



5. No Battery operated ignition allowed. Only a passive ignition system using R.P.M. as the single input parameter is allowed.



8. The maximum numbers of admission ports is limited to 4.

Engine must be air cooled. The air being driven directly by the flywheel.
 The crankshaft must be of split shaft configuration, with enclosed big end. No half

- crankshafts allowed.
- 11. An air filter must be fitted to the carburettor.

12. The maximum venturi diameter of the carburettor is limited to 13 mm.

13. Only fuel admitted will be petrol normally available at street petrol stations. The fuel must be bought at a fuel Station within the vicinity of the event. Details of the fuel station location and opening times should be provided by the race organiser prior to the event

commencement, Fuel testing should begin prior to the start of qualification. Special fuel's like Avgas, race fuel etc. are strictly forbidden. The only additive allowed is mass production two stroke oil.

Technical inspection may ask for a sealed bottle of that oil, to check it.

If a fuel is found suspect, the driver will be asked to mix his fuel at technical inspection, so it can be verified.

If an organiser is able to provide fuel at the track, all competitors have to use this fuel. The price of this fuel must not exceed the normal street price by more that 5%. Fuel tests may be made at random during the race. If a fuel is found illegal, the driver will be disqualified from the particular event, he may loose his EFRA licence for up to ten years. The fuel tester must

be available to the competitors during the event.

If a driver want's to protest that decision, he has to make a written protest to EFRA with a deposit of 500.- EUR.

All drivers that qualify for the semi finals will have their fuel tank capacity tested prior to the semi finals. After testing the fuel tank will be emptied, the drivers fuel container will be marked and remain in technical inspection (facilities permitting) until the driver/car is preparing to go out on track for their semi final and main final warm up. Only fuel from the drivers own marked fuel container is allowed to be used.

Proposal: ENGINE and FUEL


For Formula 1, Off Road and Fifth Scale Saloon:

1. Only one marked engine allowed. In case of rain situation, a second engine could be allowed during the time of wet track. The race director (or his substitute) may decide an engine replacement of the same type or repair in case of failure. The replaced engine will be kept in race control till the end of the event. A driver changing engine will receive an automatic stop and go in his first final. Each driver is only allowed to use a maximum of 2 engines per event.

2. The engine to be a single cylinder, 2 or 4 stroke, maximum 23ccm, maximum 26ccm for F1, 2wd, 4wd, and maximum 30 ccm for short course pull starter or external electric starter. Electric starters can only be used in the pitlane and under no circumstances to be used on the race-track. There must be a secure protection on the flywheel cover to prevent people touching the flywheel or moving parts.

3. No Turbo charging, Fuel injection, Supercharging, Wankel or rotary valve/ distribution engines are allowed.


4. All ignition must be mechanically fixed, only manual static adjustment is allowed. The flywheel can only have 1(one)pair of magnetic poles (ie one north and one south). There can only be a maximum of 2 coils (either a single combined LT and HT coil with the standard type ignition or two LT coils with the external ignition systems) working with the flywheel/rotor.



5. No Battery operated ignition allowed. Only a passive ignition system using R.P.M. as the single input parameter is allowed.

6. Only open deck admission ports are allowed. The removal of material is free as long as the modified shape of the transfer/admission port walls are in the direction of the cylinder bore at all times.

7. The Cylinder block must be of a single casting. no independent liners or slipping liners are



allowed.

8. The maximum numbers of admission ports is limited to 4.

9. Engine must be air cooled. The air being driven directly by the flywheel.

10. The crankshaft must be of split shaft configuration, with enclosed big end. No half

crankshafts allowed.

11. An air filter must be fitted to the carburettor.

12. The maximum venturi diameter of the carburettor is limited to 13 mm.

13. Only fuel admitted will be petrol normally available at street petrol stations. The fuel must be bought at a fuel Station within the vicinity of the event. Details of the fuel station location and opening times should be provided by the race organiser prior to the event

commencement, Fuel testing should begin prior to the start of qualification. Special fuel's like Avgas, race fuel etc. are strictly forbidden. The only additive allowed is mass production two stroke oil.

Technical inspection may ask for a sealed bottle of that oil, to check it. If a fuel is found suspect, the driver will be asked to mix his fuel at technical inspection, so it can be verified. If an organiser is able to provide fuel at the track, all competitors have to use this fuel. The price of this fuel must not exceed the normal street price by more that 5%. Fuel tests may be made at random during the race. If a fuel is found illegal, the driver will be disqualified from the particular event, he may loose his EFRA licence for up to ten years. The fuel tester must be available to the competitors during the event. If a driver want's to protest that decision, he has to make a written protest to EFRA with a deposit of 500.- EUR. All drivers that qualify for the semi finals will have their fuel tank capacity tested prior to the semi finals. After testing the fuel tank will be emptied, the drivers fuel container will be marked and remain in technical inspection (facilities permitting) until the driver/car is preparing to go out on track for their semi final and main final warm up. Only fuel from the own marked fuel container is allowed to be used. Remarks: Delete the procedure following tank testing for semi finalists, the system didn't work as intended this year when tried out.

Proposed by Ian Oddie, EFRA

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

o Rejected with for, against and abstentions. o Amended

THE RULE SHOULD BE AMENDED TO READ:

4.1.

Existing Rule: ENGINE and FUEL


For Formula 1, Off Road and Fifth Scale Saloon:

1. Only one marked engine allowed. In case of rain situation, a second engine could be allowed during the time of wet track. The race director (or his substitute) may decide an engine replacement of the same type or repair in case of failure. The replaced engine will be kept in race control till the end of the event. A driver changing engine will receive an automatic stop and go in his first final. Each driver is only allowed to use a maximum of 2 engines per event.

2. The engine to be a single cylinder, 2 or 4 stroke, maximum 23ccm, maximum 26ccm for F1, 2wd, 4wd, and maximum 30 ccm for short course pull starter or external electric starter. Electric starters can only be used in the pitlane and under no circumstances to be used on the race-track. There must be a secure protection on the flywheel cover to prevent people touching the flywheel or moving parts.


3. No Turbo charging, Fuel injection, Supercharging, Wankel or rotary valve/ distribution engines are allowed.

4. All ignition must be mechanically fixed, only manual static adjustment is allowed. The flywheel can only have 1(one)pair of magnetic poles (ie one north and one south). There can only be a maximum of 2 coils (either a single combined LT and HT coil with the standard type ignition or two LT coils with the external ignition systems) working with the flywheel/rotor.



5. No Battery operated ignition allowed. Only a passive ignition system using R.P.M. as the single input parameter is allowed.

6. Only open deck admission ports are allowed. The removal of material is free as long as the modified shape of the transfer/admission port walls are in the direction of the cylinder bore at all times.
7. The Cylinder block must be of a single casting. no independent liners or slipping liners are allowed.



8. The maximum numbers of admission ports is limited to 4.

9. Engine must be air cooled. The air being driven directly by the flywheel.

10. The crankshaft must be of split shaft configuration, with enclosed big end. No half crankshafts allowed.

11. An air filter must be fitted to the carburettor.

12. The maximum venturi diameter of the carburettor is limited to 13 mm.

13. Only fuel admitted will be petrol normally available at street petrol stations. The fuel must be bought at a fuel Station within the vicinity of the event. Details of the fuel station location and opening times should be provided by the race organiser prior to the event

commencement, Fuel testing should begin prior to the start of qualification. Special fuel's like Avgas, race fuel etc. are strictly forbidden. The only additive allowed is mass production two stroke oil.

Technical inspection may ask for a sealed bottle of that oil, to check it.

If a fuel is found suspect, the driver will be asked to mix his fuel at technical inspection, so it can be verified.

If an organiser is able to provide fuel at the track, all competitors have to use this fuel. The price of this fuel must not exceed the normal street price by more that 5%. Fuel tests may be made at random during the race. If a fuel is found illegal, the driver will be disqualified from the particular event, he may loose his EFRA licence for up to ten years. The fuel tester must be available to the competitors during the event.

If a driver want's to protest that decision, he has to make a written protest to EFRA with a deposit of 500.- EUR.

All drivers that qualify for the semi finals will have their fuel tank capacity tested prior to the semi finals. After testing the fuel tank will be emptied, the drivers fuel container will be marked and remain in technical inspection (facilities permitting) until the driver/car is preparing to go out on track for their semi final and main final warm up. Only fuel from the drivers own marked fuel container is allowed to be used.

Proposal: ENGINE and FUEL

For Formula 1, Off Road and Fifth Scale Saloon:


1. Two engines are allowed per event. Both marked with the beginning of the timed practice. The engine should be marked at the housing and at the cylinder, not on the fan cover to allow maintenance. Any work that requires removing the cylinder should be done in technical inspection. Changing parts of category one will lead to a penalty, changing parts of category two will not lead to a penalty. The engine used for the first qualification run must be used for the hole event. It is only allowed to change to the 2nd engine, if the engine no. 1 is faulty in way that would require to change category one parts (to avoid special quali engine). The 2nd engine can be used then without penalty, but it is not allowed to use no1 engine again during the event. If second engine is also faulty the driver can repair only engine no2. Changing parts of category one on an engine and using it in the event will lead to a penalty of 1 lap (stop and go with x time for stop) in the first final for the driver. The stop time should be according to one average lap time (fastest lap in quail rounded up for full sec + 1 add sec) If the driver has to perform more than one repair with changes of category one parts during qualification he will only get one penalty. If he has to change category one parts during final heats, he will get a penalty always for the next final. Category one parts: cylinder, housing, crankshaft, piston. Category two parts: anything else, lie piston ring, inanition parts, flywheel, carburetor, bearings etc...

2. The engine to be a single cylinder, 2 or 4 stroke, maximum 23ccm, maximum 26ccm for F1, 2wd, 4wd, and maximum 30 ccm for short course pull starter or external electric starter. Electric starters can only be used in the pitlane and under no circumstances to be used on the race-track. There must be a secure protection on the flywheel cover to prevent people touching the flywheel or moving parts.

3. No Turbo charging, Fuel injection, Supercharging, Wankel or rotary valve/ distribution engines are allowed.

4. All ignition must be mechanically fixed, only manual static adjustment is allowed. The flywheel can only have 1(one)pair of magnetic poles (ie one north and one south). There can only be a maximum of 2 coils (either a single combined LT and HT coil with the standard type


ignition or two LT coils with the external ignition systems) working with the flywheel/rotor.



5. No Battery operated ignition allowed. Only a passive ignition system using R.P.M. as the single input parameter is allowed.

6. Only open deck admission ports are allowed. The removal of material is free as long as the modified shape of the transfer/admission port walls are in the direction of the cylinder bore at all times.

7. The Cylinder block must be of a single casting. no independent liners or slipping liners are



allowed.

8. The maximum numbers of admission ports is limited to 4.

9. Engine must be air cooled. The air being driven directly by the flywheel.

10. The crankshaft must be of split shaft configuration, with enclosed big end. No half crankshafts allowed.

11. An air filter must be fitted to the carburettor.

12. The maximum venturi diameter of the carburettor is limited to 13 mm.

13. Only fuel admitted will be petrol normally available at street petrol stations. The fuel must be bought at a fuel Station within the vicinity of the event. Details of the fuel station location and opening times should be provided by the race organiser prior to the event

commencement, Fuel testing should begin prior to the start of qualification. Special fuel's like Avgas, race fuel etc. are strictly forbidden. The only additive allowed is mass production two stroke oil.

Technical inspection may ask for a sealed bottle of that oil, to check it.

If a fuel is found suspect, the driver will be asked to mix his fuel at technical inspection, so it can be verified.

If an organiser is able to provide fuel at the track, all competitors have to use this fuel. The price of this fuel must not exceed the normal street price by more that 5%. Fuel tests may be made at random during the race. If a fuel is found illegal, the driver will be disqualified from the particular event, he may loose his EFRA licence for up to ten years. The fuel tester must be available to the competitors during the event.

If a driver want's to protest that decision, he has to make a written protest to EFRA with a deposit of 500.- EUR.

All drivers that qualify for the semi finals will have their fuel tank capacity tested prior to the semi finals. After testing the fuel tank will be emptied, the drivers fuel container will be marked and remain in technical inspection (facilities permitting) until the driver/car is preparing to go out on track for their semi final and main final warm up. Only fuel from the drivers own marked fuel container is allowed to be used.

Remarks: Motivation: At the moment the rule states that it is only allowed to use one engine during an EFRA event. At the euros we saw that the interpretation of the rule by the race director (or substitute) lead to the fact the it was allowed to open the engines everywhere. And as long as the engine housing stays the same it was allowed to change everything. For modern engines and tuning strategies this meant no limit and people where using new parts all the time since all important parts of the engines that brake under extreme tuning effort where changed. This means that engines are basically not limited at the moment. To reduce costs and increase equality between all attendees engines should be limited and lifetime of the engines should increase. Other drivers may not come to the euros if they see how top 40 drivers play with 8-10 engines each event. This new proposal should secure that was originally behind the "one engine" rule. Why this solution: In the top league of touring car large scale, for me there

should not be a restriction or limit of power. To limit somehow the effort, money and other resources that are put into the engines, and to secure that new developments are also usable for everybody, the best way is to make sure new developments and engines are lasting long and tested well without parts systematically braking (to high pressure, overheating, etc...). This goal is only reached if the number of parts that are allowed to be used are limited. My opinion is that other solutions to reduce the power of the engine to make them last longer will not succeed. Engine tuners will find a way around new restrictions to get more power out of the engine and this will lead to more costs and parts that will brake. And for those drivers that have no personal limit in getting engines and parts this will be a big advantage again. The reason for two engines instead of one: Since we are using mass products it is always possible the a driver gets a part from a bad badge and this may brake to soon. Because of such an failure the driver should not be punished and get a second chance by a second engine.

Proposed by DMC , Rasch Norbert

4.2.1.

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

o Rejected with for, against and abstentions. o Amended

THE RULE SHOULD BE AMENDED TO READ:

Existing Rule:	Maximum noise level is 81dB (A) measured at 10 metres, 1 metre above the track. The race director has the authority to decide a different method of measuring (using the EFRA noise trap) as long, as the result will be the same. If a cars average over 10 or more laps exceeds +2dB (A) for On Road cars and +5dB(A) for Off Road cars higher than the limit at any time during the qualifying then the driver will loose their best qualifying result. If this level is exceeded during a final then the penalty is a 1 lap deduction at the end of that final. Under exceptional circumstances common sense will be used. Both the Race Director and Referee's can decide if any car producing excessive noise is allowed to race. Exhausts have to be of minimum three chamber type. No open exhausts or pipes are allowed. The total exhaust must be inside the body, with the exception of the tailend of the pipe, which may protrude the body by no more than 10 mm. No adjustable or moving parts are allowed in the manifold or muffler. The body may be cut out at that point max. 20 mm more than the tailend diameter. Max. inside diameter tail end 13 mm.
Proposal:	Maximum noise level is 81dB (A) measured at 10 metres, 1 metre above the track. The race director has the authority to decide a different method of measuring (using the EFRA noise trap) as long, as the result will be the same. If a cars average over 10 or more laps exceeds +1dB (A) for On Road cars and +4dB(A) for Off Road cars higher than the limit during the qualifying then the driver will loose their best qualifying result. If this level is exceeded during a final then the penalty is a 1 lap deduction at the end of that final. Under exceptional circumstances common sense will be used. Both the Race Director and Referee's can decide if any car producing excessive noise is allowed to race. Exhausts have to be of minimum three chamber type. No open exhausts or pipes are allowed. The total exhaust must be inside the body, with the exception of the tailend of the pipe, which may protrude the body by no more than 10 mm. No adjustable or moving parts are allowed in the manifold or muffler. The body may be cut out at that point max. 20 mm more than the tailend diameter. Max. inside diameter tail end 13 mm.
Remarks:	Reduce the db noise limit for all classes by 1db. Remove the 'at any time' during qualifying, we should not punish a driver if their exhaust breaks and that's the reason for failing the average noise test momentarily.

Proposed by Ian Oddie, EFRA

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

	THE RULE SHOULD BE AMENDED TO READ:
5.2.2.	
Existing Rule:	TYRES Tyres must be semi-pneumatic rubber. They must be molded in one piece In case of rain the use of rain tyre can be allowed by the race director. Only 2 complete sets of tyres are allowed for the heats and will be marked by technical inspection with the registration number of the driver. For EC Series during EFRA GP's only one set of marked tyres is allowed during the three rounds of qualification.
Proposal:	TYRES Tyres must be semi-pneumatic rubber. They must be molded in one piece In case of rain the use of rain tyre can be allowed by the race director.
Remarks:	Remove tyre limits (Gp and EC) from qualifying in the Formula 1 class.

Proposed by Ian Oddie, EFRA

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

o Rejected with for, against and abstentions. o Amended

	THE RULE SHOULD BE AMENDED TO READ:
5.4.1.	
Existing Rule:	Technical classes and weight All cars have to be large scale Only rear wheel drive allowed in 2wd class Minimum weight limit 10 kg for 2wd & 4wd, and 14 kg for short course Weight limits for a race ready car with transponder / PT but no fuel load Modifying or self builder cars are allowed, as far as those fulfil the technical rules mentioned
Proposal:	Technical classes and weight All cars have to be large scale Only rear wheel drive allowed in 2wd class Minimum weight limit 10 kg for 2wd & 4wd, and 14 kg for short course Weight limits for a race ready car with transponder / PT but no fuel load Modifying or self builder cars are allowed, as far as those fulfil the technical rules mentioned Minimum weight to be increased to 15.5kg/16kg
Remarks:	Addition for short course only To bring the mcd/losi into a similar performance ball park

Proposed by British Radio Car Association BRCA, Hill Mick

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

o Rejected with for, against and abstentions. o Amended

THE RULE SHOULD BE AMENDED TO READ:

5.4.4.	
Existing Rule:	Fuel tank and fuel The max content of the fuel tank till the carb is 700 cc for 2WD and 800 cc for 4WD. The allowed fuel may only exists of Lead-free gasoline, oils and additives. Forbidden are all special fuels and extra's as Avgas, octane boosters and race fuel.
Proposal:	Fuel tank and fuel The max content of the fuel tank till the carb is 700 cc for 2WD and 800 cc for 4WD. The allowed fuel may only exists of Lead-free gasoline, oils and additives. Forbidden are all special fuels and extra's as Avgas, octane boosters and race fuel. 5%

tank discretion on 800ml

Addition for Short Course only

Proposed by British Radio Car Association BRCA, Hill Mick

Seconded by: o Not Seconded

Remarks:

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

o Rejected with for, against and abstentions. o Amended

THE RULE SHOULD BE AMENDED TO READ: 5.4.9. **Existing Rule:** Chassis, Body measurements Only original large scale lexan body shells are allowed The body must be fully painted except for the windows Motorstop access must be easy. The chassis must be flat underneath and no screws may extend Car size 2wd & 4wd buggy Max length 820 mm Max width 480 mm with full compressed suspension Max height 360 mm with full compressed suspension Short course truck: Min length 850 mm 1000 mm Max lenght 480 mm Min width Max width 530 mm with full compressed suspension Min height 300 mm 350 mm with full compressed suspension Max height Min wheel base 600 mm Max wheel base 650 mm Proposal: Chassis, Body measurements Only original large scale lexan body shells are allowed The body must be fully painted except for the windows Motorstop access must be easy . The chassis must be flat underneath and no screws may extend Car size 2wd & 4wd buggy Max length 820 mm Max width 480 mm with full compressed suspension 360 mm with full compressed suspension Max height Short course truck: 850 mm Min length Max lenght 1000 mm Min width 480 mm Max width 530 mm with full compressed suspension Min height 300 mm Max height 350 mm with full compressed suspension Min wheel base 600 mm Max wheel base 650 mm

Short course trucks must run a full body supporting roll cage as supplied by manufacturer Short course trucks to run mud flaps All Short course trucks shells must have enclosed wheel arches-fenders

Remarks:

ks: Additions for short course only Keeps the original intent to mirror the US trucks the class

Proposed by British Radio Car Association BRCA, Hill Mick

Seconded by: o Not Seconded

The proposal: o Passed Unanimously o Passed with for, against and abstentions.

o Rejected with for, against and abstentions. o Amended

9. ELECTION OF VICE SECTION CHAIRMAN.

Election of Vice Chairman: Ian Oddie is willing to re-stand

10. ANY OTHER BUSINESS

11. ITEMS FOR GENERAL DISCUSSION.

2.1.

Suggestion: On the euros we saw the some (top) drivers where training and testing on their friday off on a different track. This does not show much of sportsmanship since they don't support their team (country) and show disrespect to all the drivers that drive in the lower finals. Also it may be an advantage to other drivers that don't have this opportunity. Suggestion for new rule: It is not allowed to test on a other track with the same scale car during an event. If one driver does he will get a penalty of one lap (stop and go) in his first final. Why this solution: Drivers should stay at the event and support the others, and don't have an advantage to the others. Of course it will be hard to prove that someone drove on a different track but in these time with social media someone will notice. This rule should act as a deterrence.

Proposed by Rasch Norbert , DMC

The Section Chairman thanked all participants for a constructive meeting, and being no further business the meeting was closed at