

## Brushless 'Spec.' Motors (21.5 Turn). 2016 v9

## **EUROPEAN FEDERATION RADIO CONTROLLED AUTOMOBILES**

Samples of Motors included on this list have been checked for compliance to EFRA 2016 Rules: For Brushless 'Spec.' 21.5T Motors.

Starting 01.06.16, only Motors included on this list, can be used at EFRA Sanctioned events (EC or GP), for:

The Motor Class designated for the event.

Whiist sample Motors submitted have been found to conform with EFRA 2016 rules for 'Spec' Brushless Motors, it is the responsibility of ALL competitors to ensure that the versions they use also comply with all EFRA rules and requirements.

NOTE: These motors differ from Brushless 'Modified' Motors.

Motor Builder	Type/ Range	Illustration only	Notes	Approval Date	
Motors below this level must comply with EFRA Rules :- App.3, 2.2 (9) which requires access to the stator to allow measurement and visual appraisal of the laminates. Also 2.2 (7), which requires the Rotor to be marked with Name or Logo & Part #.					
Hobbywing	Xerun V10 G2 Pt # 30101109	THE STATE OF THE SENSORED STOCK	Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo moulded. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 50 deg. Stator and wind visible.  Rotor Part # 30820007 stamped 7-125-A.  Option End-Cap, timing +30/+60 # 30820054	21.11.16	
Team Powers	Actinium Pt. # TPBLM 215100 ACT- V2	215	Sensored system. "Y" Wind. Black Aluminium Sleeves & End- Plates. Stator with wind etched & visable. Nickel sintered rotor with no balance ring. Has stator access. (UK Spec. label not mandatory). Rotor with name, Part # TP125G-R	24.10.16	
Fantom	Fantom FR-1 Type M Pt. # FAN19505S		Sensored system. "Y" Wind. Stator glued & spigoted in sleeve. Sleeve with wind etched. Adjustable sensor plate timing +20/+60 deg. Has stator access. Wind etched on stator. Rotor with name, Part # - FAN19591.	08.08.16	
Corally	Dynospeed Spec. 3.0 Part # C-61103	TAMENTO CONTRACTOR	Sensored system, two ports. "Y" Wind. One end of stator visable but stator removes. Stator has wind etched. Wind etched on End-Cap. End-Cap Alum., adjustable timing, no numbers. Rotor with logo, Part # 61130	08.08.16	
Motiv	M Code Part # MOV10215S	M GDDE 21.5	Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Mounting Cap removes. Nickel sintered rotor with no balance ring. Adjustable sensor plate timing 0/+50 deg. Has stator access.  Rotor part # MOV1315	18.07.16	
Tesla	Tesla EP Part # TS-194215T-S	SPEC 2LSY A B B	Sensored system. "Y" Wind. Blue Alu. Can & End-Caps. Timing insert with Tesla logo etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part # TS-194136	07.07.16	
Ruddog	Ruddog RP540 Part # RP-0015	RUDDOG RP540	Sensored system. "Y" Wind. Silver Alu. Can & End-Caps. Timing insert with Ruddog etched. Nickel rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible with wind visable on stator. Rotor Part # RP-12.5-7.2	30.05.16	
Fenix	Fenix DFV2-21.5 Pt. # FM00215-2	FERIX  DEVIZELS	Sensored system. "Y" Wind. Black Alu. Can & End-Caps. Timing insert with Fenix DFV2 etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part # MF72-B Option rotor: MF72	19.05.16	

Tekin	Redline Gen3 Part # TT2703	CENE & 215T	Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721.  Option rotors: 2719, 2722	16.05.16
Tekin	Redline Gen3 Part # TT2702 RPM	EINE 215T	Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721.  Option rotors: 2719, 2722	16.05.16
Turnigy	Trackstar V2 Pt # 80122	THOUSE THE STATE OF THE STATE O	Sensored system. "Y" Wind. Stator slides from sleeve.Sleeve with wind etched. Adjustable sensor plate timing 0-50 deg. Has stator access. Wind etched on stator. Rotor with name, sizes & Part #.  Rotor Part # 919000281	16.05.16
EZpower	EZ Kicker EZBR221	RACING BRUSHLESS	Sensored system. "Y" Wind. Gun-metal End-Plates & Sleeve. Adjustable red timing ring. Nickel sintered rotor with Red hollow balance ring marked EZ. Caps & sleeve remove, has stator access. Rotor Part # EZBR233	23.03.16
Fenix	Fenix DFV-21.5 Pt. # FM00215	FERIX arv-21,5	Sensored system. "Y" Wind. Black Alu. Can & End-Caps. Timing insert with Fenix DFV etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible access with cap removed. Rotor Part # MF72.	18.01.16
Team Epic	ReVtech 24K Pt # REV1803	24/	Sensored system. "Y" Wind. End-Plate has Revtech etched. Stator sleeve with ReVtech & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring & visible. Rotor with name & Part # TEP1112.  Optional rotor # TEP1118.	23.11.15
Motors	s below this leve		App.3, 2.2(9), which requires access to the stator to a appraisal of the laminates.	allow
King Golden	Speed Passion V4.0 21.5R #SP001233	SPEED PASSION WOULD CHAP EITH COMPETITION	Sensored system. "Y" Wind. Black End-Plates & Sleeve with wind etched. Nickel sintered rotor with one Purple balance ring, 12.5 dia, 7.1 core. Adjustable timing 0 -40 deg. Has stator access.	9.3.15
Tianco	ORCA RX3 Part # OMR215X3	THE PROPERTY OF THE PARTY OF TH	Sensored system. "Y" Wind. Black Can & E/Cap. Complete stator removes. Has stator access slots. ORCA RX3 & wind etched on End-Cap. End-Cap Alum., adjustable timing. Rotor with black balance ring 12.4 dia., 7.2 core. Part # OTR124ST	10.11.14 25.05.15
Wurks	Wurks Part # R1-215-125-V7	21.5 WURKS	Sensored system. "Y" Wind. End-Plate with R1 Wurks etched. Stator sleeve with Wind painted. Nickel sintered rotor painted Black, no balance ring, 12.4 dia, 7.2 core. Adjustable sensor plate timing 0-60 deg. Has stator access. Single collector ring at 'pinion' end of stator.  Motors with Twin collector rings and/or epoxy filled windings not approved.	27.10.14 16.12.15. 26.10.16
Reds Racing	VX Part # MTTE 0008	RELET FROCES SIZE SIZE SIZE SIZE SIZE SIZE SIZE SI	Sensored system. "Y" Wind. Red metal End-Plate at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates & has wind etched. Rotor with Black drilled balance ring MSTE0010.  Optional rotors:- # MSTE0009, MSTE0016	19.05.14 06.07.16
Team Epic	ReVtech Killshot Pt#	PREVIECH.	Sensored system. "Y" Wind. Copper colour Aluminium End- Plates, Revtech etched. Blue stator sleeve with ReVtech & Wind painted. Nickel sintered rotor with one purple balance ring, 12.3 dia, 7.2 core. Adjustable sensor plate timing 0-80 deg.	17.03.14
	REV1603R		Has stator access.  Optional rotor TEP 1112 approved.	07.04.14

Hobbywing	Xerun V10 Pt. # 30401020049	HOBBYWING  WINDS STOCK  SCHOOLS STOCK  SCHOOLS STOCK	Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo printed. Nickel sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Adjustable sensor plate timing -20/+ 50 deg. Stator and wind visible via. sleeve slots.	3.3.14
Muchmore	FLETA ZX Pt # MR-FZX215	21.5 FLETAXX	Sensored system. "Y" Wind. Black metal End-Bell with plastic timing plate, with adjustable timing 0-45. Black Can/Sleeve. Stator separates. Nickel sintered rotor with Green drilled balance ring. Rotor 7.2 core, 12.5 dia. Optional rotor MRFZR11 allowed. Aluminium timing-plate MR-FZAT fitted to later versions.	29.07.13 14.05.14 05.08.14
Team Wave	Eclipse # TW2011-215	TEAM WAVE	Sensored system. "Y" Wind. Black Alum. End-Plates. Adj. timing. Black Alum. stator sleeve with wind etched. Nickel sintered rotor with one plain balance ring, 12.5 dia, 7.17 core, marked 125-R. Stator visable via. Sleeve slots.	24.6.13
Corally	Corally Pro Silver 21.5T 399215		Sensored system. "Y" Wind. Plain Alum. End-Plates. Adj. timing. Plain Alum. stator sleeve with wind etched. Nickel sintered rotor with one Black balance ring, 12.3 dia, 7.18 core. Stator visable via. Sleeve slots.	17.6.13
Tianco	ORCA TX Pt. # OTM 215TX		Sensored system. "Y" Wind. Dull Grey Aluminium casings. Main sleeve removes. Has stator access slots. ORCA TX & wind etched. End-Plate moulded, adjustable timing. 12.5mm Rotor no balance ring, shaft marked 125S-N. Option 123S-N. 12.3mm. Option EndPlate OME111TX allowed. New sensor Ass. CAS-0220TX-30 fitted.	10.06.13 10.03.14 20.07.14.
LRP	X20 21.5T Spec. # 50864	STOCK SPET	Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Fixed End-Sleeve etched with wind. Sintered rotor, coloured Black, with 1 balance ring. Grey stator moulding. Rotor shaft Black stamped 12.5-25. Slot for stator access. Optional Green rotor # 50639 approved.	22.04.13
Tekin	Redline GEN2 21.5T # TT2402 & TT2403		Sensored system. "Y" Wind. Black Alum. End-Plates, not joined. Adj. timing. Alum. Can with wind etched. Stator visable via. Sleeve holes. Nickel sintered rotor with one brass balance ring. Rotor 7.14 core. 2402=12.25 dia. 2403=12.5 dia.	1.4.13
Team Orion	VST2 Pro Stock 21.5. # ORI 28253		Sensored system. "Y" Wind. Grey one-piece Can. Black Aluminium End-Plate retained with five screws, adjustable moulded timing plate. Wind etched. Nickel sintered rotor, 12.5 dia, 7.1 core, no balance rings. Optional 12.4 dia, 7.2 core.	25.3.13
Motors below t			ed before implementation of EFRA Rule App.3, 2.2(9), (requal of laminates). Some motors do allow stator access.	iring access
Hobbywing	Xerun Pt. # 90040151		Sensored system. "Y" Wind. Polished Auminium End-Plates, Hobbywing etched. Fixed timing. Blue stator sleeve with 21.5T & Pt.# etched. Sleeve & EndPlates also Gunmeteal colour. Side entry sensor plug. Nickel sintered rotor, 12.4 dia, 7.2 core. Rotor with one balancing ring.	13.8.12
Vampire	Vampire Type AB+ Bloodline Pt. # VR-3215		Sensored system. "Y" Wind. Black Plastic End-Plate at Term. End, with adjustable timing. Sensor plug horizontal. Green End plates. Wind etched. Nickel sintered rotor with no balance rings, 12.5 dia, 7.21 core.	12.3.12
Graupner	GM Brushless PRO. Pt. # 97421. 2012 version.	#97421 Care Care Care Care Care Care Care Care	Sensored system. "Y" Wind. Alum. Mounting-Plate with 3x5mm holes and 3 radiused slots. Plastic End-Cap with GM moulded. Adj. timing. Gun-Metal stator sleeve with Wind & Pt.# etched. Side entry sensor plug. Nickel rotor marked GM Stock, 12.51 dia, 7.24 core.	31.12.11

Thunder Power	Z3R-S Part # TPM-540A215	THURDER 9	Sensored system. "Y" Wind. Black Plastic Moulding at Term. End, with adjustable timing. Red Can/Sleeve with silver end cover. Wind etched on stator. Stator separates. Nickel sintered rotor with drilled red balance ring, 12.25 dia, 7.2 core. Optional Rotors:- Blue or Green balance ring.	17.10.11. 16.04.12
Speed Passion	Competition 3.0 MMM Version Pt.# SP000040		Sensored system. "Y" Wind. Dark Gun-Metal Aluminium Sleeve & End-Plates, SP etched. Sleeve with Wind & MMM etched. End-Plates with grooves. Red sensor board. Black sintered rotor with one balance ring, 12.3 dia, 7.2 core. Adjustable timing 11-20 deg.	4.7.11
Viper	Viper VST Pt. # 8VST 215001		Sensored system. "Y" Wind. Red Aluminium End-Plates, VST & 21.5T etched. Black grooved stator sleeve. Black sintered rotor with no balance rings, 12.5 dia, 7.35 core. Adjustable timing.	16.5.11
Tekin	Tekin Redline 21.5T Spec. Pt. # TT2250 (Etched Can)		Sensored system. "Y" Wind. Red Aluminium mounting plate. Black moulded End-Bell with Tekin. Grooved Al. bonded stator sleeve with 21.5T etched. Nickle plated sintered rotor, 12.4 dia, 7.11 core. No balance rings.	11.4.11
HPI	Flux Pro. Pt. # 101734	C 8 A 21.5T	Sensored system. "Y" Wind. Black Aluminium End-Plates, HPI etched. Black stator sleeve with Wind etched. Nickel sintered rotor, 12.5 dia, 7.2 core. Adjustable timing. Optional rotor - 12.2 dia, 7.2 core, Nickel plt. Optional rotor 107252 - Mag & shaft Black.	28.03.11 07.05.12
Graupner	GM Brushless PRO. Pt.# 97361 2011 version.	\$11.51 \$11.51	Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, GM-Racing etched. 5 timing threads. Gun-Metal stator sleeve with S21.5T & Pt.# etched. Side entry sensor plug. Black sintered rotor, 12.4 dia, 7.21 core. Rotor with one balancing ring.	31.1.11
Trinity	Trinity D3 Pt. # TEP1057	STOZ	Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, Trinity etched. Black stator sleeve with D3 & 21.5T etched. Nickel sintered rotor with one balance ring, 12.25 dia, 7.20 core. Adjustable sensor plate timing.	31.1.11
Graupner	Brushless PRO. Pt. # 97301	#97301 \$497	Sensored system. "Y" Wind. Dark Gun-Metal Aluminium End-Plates, GM-Racing etched. 5 timing threads. Dark Gun-Metal stator sleeve with S21.5T & Pt.# etched. Side entry sensor plug. Black sintered rotor, 12.3 dia, 7.2 core. Rotor with one balancing ring.	21.12.09
Speed Passion	3.0 - 21.5R Pt.# SP138215V3	District Control of the Control of t	Sensored system. "Y" Wind. Light Gun-Metal Aluminium End- Plates, SP & 21.5T etched. Light Gun-Metal stator sleeve with SP21.5T etched. Black sensor board. Black sintered rotor with one balance ring, 12.3 dia, 7.22 core. Adjustable timing 0-10.	12.10.09
Paul Worsley. (EFRA Elec. Chairman). Last update 21.11.16				e 21.11.16.