04.07.22

## **EUROPEAN FEDERATION RADIO CONTROLLED AUTOMOBILES**

Samples of Motors included on this list have been checked for compliance to EFRA Rules for:-Brushless 'Spec.' 13.5T Motors.

Only Motors included on this list, can be used at EFRA Sanctioned events (EC or GP), for:

The Motor Class designated for the event.

Whiist sample Motors submitted have been found to conform with EFRA rules for 'Spec' Brushless Motors, it is the responsibility of ALL competitors to ensure that the versions they use also comply with all EFRA rules and requirements.

NOTE: These motors differ from Brushless 'Modified' Motors.

Motor Builder	Type/ Range	Illustration only	Notes	Approval Date
		oraisal of the laminates. Also 4.9 &	.8 (including 01.03.21 amendment) requiring access to state 4.16 (including 01.03.21 amendment) which requires the Roor Logo & Part # on shaft.	
Core RC	Core RC Star Series Fixed timing. Part # CR857	CONTRACT  CONTRA	Sensored system. "Y" Wind. Black Al. End-Caps with Core RC. Fixed timing. Stator bonded but wind etched on collector ring. All screws magnetic, steel shielded magnetic bearings. Rotor with Name, Part # CR859 on shaft.	04.07.22
Hobbywing	Justock G2.1 Fixed timing. Part # 30408010	Justock 13.51  (2) (2) (3) (4) (5) (5)	Sensored system. "Y" Wind. Black Al. End-Caps with Hobbywing Justock G2.1. Fixed timing. Stator bonded, wind etched on stator. All screws magnetic, steel shielded magnetic bearings. Stator can be measured.  Rotor with Name, Part # 30820007 on shaft.	02.05.22
Hobbywing	Xerun V10 G4 Pt # 30401140	VECTOR AND	Sensored system. Black all Alu. End-Caps. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings.  Rotor with name & Part # on shaft 30820444.  Option rotor: 30820416.	02.05.22
Nosram	XTEC Nosram N22 Part # 920201	N22 STEEL SPEC	Sensored system. "Y" Wind. Black Al. End-Cap with XTEC. Adj. timing 0/60. Wind etched on stator, visable. Body screws non-magnetic, timing screws magnetic, steel shielded magnetic bearings.  Rotor with Nosram & Part # 920522 on shaft.  Option rotor: 920521.	07.02.22
Hoomark	Team Zombie EVOT. Part # M-TZ- EVO135TT	PRO SPEC	Sensored system. Stator removes. Adjustable timing 0/+60 deg. 4mm thick collector ring. All screws magnetic, Al. sensor retaining housing, magnetic steel shielded bearings. Rotor with:Name & Part # on shaft M-TZ-725125.  Option rotor: M-TZ-725125T	01.11.21
Ruddog	Ruddog RP542 Part # RP-0447		Sensored system. 4 side screws retain End-Cap. Timing insert with Ruddog. Adjustable timing 0/+60. Wind & RP542 on stator visible. 3mm colector ring. All screws magnetic, Al. sensor housing, magnetic steel shielded bearings. Stator bonded. Rotor with name & Part #:- RP-0435	05.04.21
Maclan	MRR V3 Part# MCL1050	Maclan Fines	Sensored system. 3 side screws retain End-Cap. Timing insert with Maclan. Adjustable timing +20/+ 50. All screws magnetic. Al. sensor housing & horseshoe, magnetic steel shielded bearings. Stator removes with wind etched. Rotor with name & Part # MCL4144.	01.03.21

Team Powers	Actinium V4.0 Pt. # TPBLM 135100 ACT-V4	E GIGGINHITAL MON	Sensored system. Black AI. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. Body screws non-magnetic, timing screws magnetic, AI. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2	01.03.21
		sal of the laminates. Also 4.9 & 4.10	4.8 (prior to 01.03.21 amendment) requiring access to stator 6 (prior to 01.03.21 amendment) which requires the Rotor to or Logo & Part #.	
Tekin	Redline G4 SPEC-R Part # TT2763		Sensored system. "Y" Wind. Adj. timing 0/60. Machined Alum. Can, wind printed. Stator visable. All screws magnetic, Plastic sensor housing, magnetic steel shielded bearings. Rotor Part # TT2776 on flat.	07.12.20
Performa	p1 Radical Stock Part # PA9408	RADICAL PART STOCK	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+40. Wind in screw slots. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name. Part # PA9356.	07.12.20 05.07.21 Part # updated
PRT Electronic	PRT AIR Part # PRTAIRX135		Sensored system. "Y" Wind. Alu. Caps remove, PRT on End- Plate. Adjustable timing +30/+75. Good stator access. All screws magnetic, plastic sensor ass., magnetic steel shielded bearings located with brown 'O' ring. Rotor with PRT & Part # 125LVHT on shaft. Option rotor: 125SVHT	24.08.20
Konect	K1 Elite Stock Part # K11901008	TOCK FOR THE STOCK	Sensored system. "Y" Wind. Stator not bonded and removes for checking. Wind on stator visible. Adjustable timing 0/60. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings.  Rotor with name & Part #: K1/12.5C7.2 on flat	06.07.20
Scorpion	SCORPION POWER RR-3420 Part # (ending) 7086984180	13.51	Sensored system. "Y" Wind. Stator not bonded but tight to remove. Wind on stator. Adjustable timing 0/60. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Only later versions with no paint coatings on the stator ends are approved.  Rotor with name & Part #: 4897086984234	06.07.20
Ruddog	Ruddog RP541 Part # RP-0359		Sensored system. "Y" Wind. 4 side screws retain End-Cap. Timing insert with Ruddog & RP541. Adjustable timing 0/+60. Wind on stator visible. 3mm colector ring. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part #:- RP-0349.	11.05.20
Absima	CTM V.3 Part # 2130060	B B C B C B C B C B C B C B C B C B C B	Sensored system. Stator removes, access holes. Absima logo End-Cap, wind on stator. Adj. timing 0/50. Single collector ring. Body & timing screws non-magnetic, Al. retaining housing, magnetic steel shielded bearings.  Rotor with name & Part # CTM STK N42UH.	09.03.20
Reds Racing	VX3 Part # MTTE 0036 Also: MTTE 0036C See notes VX3 High	13.5T VX3	Sensored system. "Y" Wind. Red AI. timing plate. Adjustable timing 0-50. Caps. remove, cut-outs for measuring stator. All screws magnetic, AI. sensor housing & retaining plate, magnetic steel shielded bearings.  Rotor with name & Part # MSTE 0030.  Motor with Part # ending with C has non-magnetic long body screws.	03.02.20 09.11.20
Reds Racing	Torque Part # MTTE 0036T Also: MTTE0036TC MTTE0036P MTTE0036PC	13.5T VX3	Sensored system. "Y" Wind. Red AI. timing plate. Adjustable timing 0-50. Caps. remove, cut-outs for measuring stator. All screws magnetic, AI. sensor housing & retaining plate, magnetic steel shielded bearings.  Rotor with name & Part # MSTE 0031.  Motor with Part # ending with:- 'C' has non-magnetic long body screws. 'P' has updated stator material.	22.01.20 09.11.20 02.05.22

See notes

Hoomark	Team Zombie EVO. Part # M-TZ-EVO135T	PRO SPEC	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. 4mm thick collector ring. Body screws magnetic, timing screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with:  Zombie, Part # M-TZ-725125 on shaft.  Option rotor: M-TZ-725123	13.01.20
Corally	Vulcan Stock Part # C-61111		Sensored system. "Y" Wind. Can with Vulcan Stock & wind on stator. Adj. timing 0-60 deg. Stator removes. All screws magnetic, Al. sensor housing. Steel shielded bearings. Rotor with name & Part #: 61130	07.10.19
Fantom	Fantom ICON Torque Part # FAN19213T	B B C	Stator glued in one piece can. Wind on stator. Can has wind & ICON etched. Adjustable timing +20/+60 deg. No full length internal pins, one magnetic pin 1 dia. x 8 long. All screws magnetic. Bearings magnetic with steel shields. Rotor with name, Part # - FAN19585.	30.09.19
Surpass	Rocket V5R Part # SUR 51135	VSR STOCK WWW.	Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. 3mm colector ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Steel body screws supplied with kit, allowed. Rotor with Surpass, Part # C75125 on shaft.  Option rotor: C77123 on shaft.	30.09.19
Speedzone	Speedzone Part# SZBLS135	13.5T SPEEDZONE	One piece Can, stator removes. Adjustable timing 0/+60 deg. Wind etched on stator (hiiden). All screws magnetic. Al. retaining housing, steel shielded bearings. Rotor with name, Part # SZR125S, diameters on shaft.  Option Rotor: SZR125S-T, diameters on shaft.	19.08.19
United Sino Enterprises	ORCA Blitreme2 Part # MO18BT54135	OHOA MANAGEMENT	Sensored system. Stator bonded, has access holes. ORCA, Blitreme2 & wind etched on End-Cap. Wind on stator. Adj. timing +10/60. Single 3mm collector ring. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part #: RT18M125258.	17.06.19
RC Concept	RC Concept CR10 Part # 20410135	POWER GILLS	Sensored system. "Y" Wind. Stator bonded. Adjustable timing 0/+60. Wind etched on stator. All screws magnetic, Al. retaining plate, steel shielded bearings. Rotor with name. Part # 50126.	17.06.19
Hobbywing	Xerun V10 G3R Pt # 30401130	- 13.57 - 13.57 - 15.15 - 15.1	Sensored system. "Y" Wind. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # 30820411. Option rotor: 30820416.  Later versions can have mounting end-cap chamfer plain aluminium with no black paint.	15.05.19 17.06.19 06.07.20
Revtech	XFactor Part # REV1101	13.5T REVIECH	Sensored system. Blue end-plate has Revtech & XFactor etched. Wind on stator. Adjustable timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. All screws magnetic, plastic retaining housing, steel shielded magnetic bearings. Rotor with name & Part # TEP1119. Option rotor: TEP 1120.	07.05.19 06.12.21
RC Streamline	WS Line Part # E19135		Sensored system. "Y" Wind. Sleeve with WS Line & wind on stator. Adj. timing 0-60 deg. Has stator access. Body screws non-magnetic, timing screws magnetic. Al. sensor housing. Steel shielded bearings.  Rotor with name & Part #: WSL540S	22.04.19
Motiv	MC3 Part # MOV31013	MOTIVE CO.	Sensored system. Alu. timing plate with logo. End-Cap ass. removes. Adjustable sensor plate timing 0/+40 deg. Has stator access. Twin collector rings. All screws magnetic, full Al. sensor housing, steel shielded bearings. Rotor with name & part # MOV1330. Option rotor MOV1318.	14.01.19 04.02.19

LRP	XTEC X22 Part # 520201	I I I I I I I I I I I I I I I I I I I	Sensored system. "Y" Wind. Black Al. End-Bell with XTEC. Adj. timing 0/60. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, steel shielded bearings. Rotor with LRP & Part # 520522, 12.5S on shaft. Option rotor: 520521, 12.3S on shaft. Later motors have two full length slots, and are allowed.	14.01.19 01.07.19
SMC	Lowrider Part # SMCLR40135	name CCE	Sensored system. "Y" Wind. No centre sleeve, End-Caps remove. Adjustable timing +10/+54 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings.  Rotor with name & part #: LR712542	24.12.18
Sky RC	ARES Pro. V2.1 Part # SK-400003-58	ARES	Sensored system. "Y" Wind. Stator removes. Adjustable timing +5/+55 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: SK-400003-20	03.12.18
Fantom	Fantom ICON Pt. # FAN193131CON		Stator glued in one piece can, no hysol on outer edge. Wind on stator. Can has wind & ICON etched. Adjustable timing +20/+60 deg. Three internal <b>steel pins 2.48 dia.</b> All screws magnetic. Bearings magnetic with steel shields. Rotor with name, Part # - FAN19597.	26.11.18
Surpass	Rocket V4S Stock Spec. Part # SUR7135	V48 STDCK COCCOCC	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings.  Rotor with Surpass, Part # C75125 on shaft.  Option Rotor: C77123 on shaft.	17.09.18 12.11.18
Team Powers	Actinium V3.0 Pt. # TPBLM 135100 ACT-V3		Sensored system. Black Aluminium Sleeve & End-Cap. Stator with wind etched & visable. Sintered rotor with one balance ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2	17.09.18 02.07.19
Hoomark	Zombie CJ Edition. Part # M-TZ-RBE135T	ALUCIUS : 2 2	Sensored system. "Y" Wind. Stator bonded but visable. Adjustable timing 0/+60 deg. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with: Zombie, Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725125S	17.09.18
Tekin	Redline G3 SPEC-R Part # TT2698	TRIGH	Sensored system. "Y" Wind. Adj. timing 0/60. Machined Alum. Can, wind printed. Stator visable. All screws magnetic, Al. retaining housing, steel shielded bearings.  Min. length 50.00mm. Rotor with name & Part # 2722.  Option rotor: 2721	23.04.18
Hobbywing	Xerun V10 G3 Pt # 30401103	MERGAN  —13.5T—  ACCIDITY MARKET	Sensored system. "Y" Wind. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings.  Rotor Part # 30820018. Later motors 30820406.  Both rotors allowed.	27.02.18 24.12.18
Surpass	Rocket V3 Pro Stock. Part # SUR6135		Sensored system. "Y" Wind. Stator bonded, has access. Adjustable timing 0/+45 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings.  Rotor with Surpass, Part # C74125 on shaft.  Black casings & Part # update ion 2022.	05.02.18

Reedy	Reedy S+Plus Part # 27403		Sensored system. "Y" Wind. Alu. timing insert with 'R' logo, timing 0/+ 50 deg. Stator can be removed, wind etched on stator. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings.  Rotor with name & Part # 27414 of shaft flat.	15.01.18
Tianco	ORCA Blitreme Part # OMB135BL	BLITREME  3.51  13.51	Sensored system. "Y" Wind. Stator bonded, has access holes. ORCA Blitreme & wind etched on End-Cap. Adjustable timing 0/60. Twin collector ring. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # ORR425SO.	15.01.18
Reds Racing	VX2 Part # MTTE 0022	13.5T VX2	Sensored system. "Y" Wind. Red Al. timing adjuster. Adjustable timing 0-50. Stator removes & has wind etched. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # MSTE0017. Option rotor MSTE 0018	15.01.18
Arrowmax	Dash R-Tune Part # DA740135	Dash E	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind on stator. All screws magnetic, Al. retaining plate, steel shielded bearings. (Non-magnetic body screws included with kit).  Rotor with DASH:- Part # - DA-730003. Shaft RSS125.	01.01.18 19.02.18
NOTE:	ALL MOTORS		17, WERE HOMOLOGATED WITH MAGNETIC SCR DED BEARINGS FITTED.	EWS
	Changing the		r Part # stated and contravenes App.4 Rule 4.6.	
Maclan	MRR V2 Part # MCL1033	Maclan	Sensored system. "Y" Wind. Black Can & End-Cap with logo. Nickel rotor with one Black Alu. bal. ring. Adjustable timing +20/+50 deg. Has stator access. Rotor Part # MCL4143.	16.10.17
	WICE 1033	8 13.51 Tacm Edition	Option Rotor : MCL 4144	20.11.17
Trinity	Monster Max Horsepower Part # TEP 1505	MAX TRANTY	Sensored system. 'Y' Wind. Green end-plate has Trinity & Monster Max etched. Stator sleeve with Trinity, M Max & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. Rotor with name & Part # TEP1112, later versions TEP1119. Either options allowed.	16.10.17 09.04.18
Fantom	Fantom FR-1 v3R Pt. # FAN19411S		Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind & 'R' etched. Adjustable timing +20/+60 deg. Has stator access no hysol on outer edge. Wind etched on stator. Rotor with name, Part # - FAN19597.	25.09.17
Fantom	Fantom FR-1 v3T Pt. # FAN19412S	THE PROPERTY OF THE PARTY OF TH	Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind & 'T' etched. Adjustable timing +20/+60 deg. Has stator access no hysol on outer edge. Wind etched on stator. Rotor with name, Part # - FAN19597.	25.09.17
Motiv	MCR Part # MOV101352S		Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Both End-Caps remove. Nickel sintered rotor with black balance ring. Adjustable sensor plate timing +20/+50 deg. Has stator access.  Rotor part # MOV1340	28.08.17
R1 Brushless Motor Lab.	R1 Part # R1-135B-125-V16 BRCA & EFRA		Sensored system. "Y" Wind. End-Plate with R1 etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. V16 etched on sleeve. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001	24.07.17

Muchmore	FLETA ZX V2 Part # MR-V2ZX135ER	FLETACK D	Sensored system. "Y" Wind. Al. timing plate, adjust. timing 0-50. Stator removes but can be seen through holes. Wind etched on stator. Shaft etched with rotor dia. Rotor with name & part #. Rotor Part #: MR-FZR 21Y.  Optional rotor #'s: All MR-FZR :- 18TI, 19Z, 21TIZ, 21Z	24.07.17 31.10.17
PRT Electronic	PRT AIRs 10 Part # A10135S		Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, PRT on End-Plate. Adjustable timing. Caps remove. Wind marked on sleeve. Has stator access. Rotor with name & Part # 125RSHT. Option rotor: 123RSHT	31.05.17
PRT Electronic	PRT AIR 10 Part # A10135 (2017 ver.)	PIR 10 10 10 10 10 10 10 10 10 10 10 10 10	Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, PRT on End-Plate. Adjustable timing. Caps remove. Wind marked on sleeve. Has stator access. Rotor with name & Part # 125RSHT. Option rotor: 123RSHT	15.05.17
Hobbywing	Xerun Justock 3650 G2 Pt # 30408005	USEOCK I	Sensored system. "Y" Wind. Black Alu. Can & End-Cap with Justock 3650G2. Nickel sintered rotor with one Alu. bal. ring. No timing adjustment. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A.	15.05.17
R1 Brushless Motor Lab.	R1 Part # R1-135B-125-V15 BRCA & EFRA	13.5 21	Sensored system. "Y" Wind. End-Plate with R1 (only) etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001, R1-125-720-001	13.02.17 03.04.17
Fantom	Fantom FR-1 v2R Pt. # FAN19471S		Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind etched. Adjustable timing +20/+60 deg. Has stator access but hysol on ends. Wind etched on stator. Rotor with name, Part # - FAN19591.  Option Rotor: FAN19590.	23.01.17
Fantom	Fantom FR-1 v2T Pt. # FAN19472S		Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind etched. Adjustable timing +20/+60 deg. Has stator access but hysol on ends. Wind etched on stator. Rotor with name, Part # - FAN19591.  Option Rotor: FAN19590.	23.01.17
Orion	Vortex Ultimate Stock LW (2016) # ORI28369		Sensored system. "Y" Wind. Full dia. Black sleeve with removable Alu. End-Plates, all retained with long screws. Adjustable timing 0/+40. Wind etched. Two sensor plug. Rotor has name & part # ORI 41554. Option Rotor: ORI 41553	23.01.17 13.02.17
Maclan	MRR Part # MCL1015	Maclan	Sensored system. "Y" Wind. Black Can & End-Cap with copper timing plate & logo. Nickel rotor with one red Alu. bal. ring. Adjustable timing +20/+ 60 deg. Stator removes easily. Rotor Part # MCL4075.  Optional rotors # MCL4076 & MCL4093.	16.01.17
Tianco	ORCA RT Pt. # OMT135RT	ÖŘČÁ 13.57	Sensored system. "Y" Wind. Black Can & E/Cap. Stator has access slots. Stator accepts 14.5mm gauge. ORCA RT & wind etched on End-Cap. Adjustable timing +/-50. Rotor with name & Part # ORR425S0. Option rotors:- ORR 325S1, 233SL, 238SL, 253SL, 258SL.	16.01.17
Reds Racing	VX Part # MTTE 0012	PRODUCTION OF THE PROPERTY AND THE PROPE	Sensored system. "Y" Wind. Red metal End-Plate at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates & has wind etched. Rotor with Green drilled balance ring Part # MSTE0016.  Optional rotors:- # MSTE0009, MSTE0010	19.12.16

Trinity	Monster Horsepower Part # TEP 1501 "M"	HORSEPOWER 13.5T	Sensored system. "Y" Wind. Green end-plate has Trinity etched. Stator sleeve with Trinity, M & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. Rotor with name & Part # TEP1118. Option Rotor # TEP1112.	14.11.16
Orion	Vortex VST2 Pro. Mg. LW (2016) # ORI28330		Sensored system. Dark grey one-piece Can. End-Plate has Team Orion & wind marked, retained with five screws. Adjustable timing +/- 10. Two sensor plugs. Has stator access. Rotor with name & Part # ORI 41476 Option rotor: ORI 41517	24.10.16
Team Powers	Actinium Pt. # TPBLM 135100 ACT- V2	13.5	Sensored system. "Y" Wind. Black Aluminium Sleeves & End- Plates. Stator with wind etched & visable. Nickel sintered rotor with no balance ring. Has stator access. (UK Spec. label not mandatory). Rotor with name, Part # TP125G-R	24.10.16
Corally	Dynospeed Spec. 3.0 Part # C-61101	Table Property of the Park of	Sensored system, two ports. "Y" Wind. One end of stator visable but stator removes. Wind etched on End-Cap. End-Cap Alum., adjustable timing, no numbers. Rotor with logo, Part # 61130	08.08.16
Tesla	Tesla EP Part # TS-194135T-S	SPEC 13.5T	Sensored system. "Y" Wind. Blue Alu. Can & End-Caps. Timing insert with Tesla logo etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part # TS-194136	18.07.16
Motiv	M Code Part # MOV10305S	MCDDE 13.5	Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Mounting Cap removes. Nickel sintered rotor with no balance ring. Adjustable sensor plate timing 0/+50 deg. Has stator access.  Rotor part # MOV1315	18.07.16
Fantom	Fantom FR-1 Type M Pt. # FAN19480S	TAREM (195)	Sensored system. "Y" Wind. Stator glued & spigoted in sleeve. Sleeve with wind etched. Adjustable sensor plate timing +20/+60 deg. Has stator access. Wind etched on stator. Rotor with name, Part # - FAN19591. Optional Rotor: FAN19590.	18.07.16 05.12.16
Fantom	Fantom FR-1 Type RS Pt. # FAN19481S	TYPE RS	Sensored system. "Y" Wind. Stator glued & spigoted in sleeve. Sleeve with wind etched. Adjustable sensor plate timing +20/+60 deg. Has stator access. Wind etched on stator. Rotor with name, Part # - FAN19591. Optional Rotor: FAN19590.	18.07.16 05.12.16
Ruddog	Ruddog RP540 Part # RP-0013	RP540	Sensored system. "Y" Wind. Silver Alu. Can & End-Caps. Timing insert with Ruddog etched. Nickel rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible with wind visable on stator. Rotor Part # RP-12.5-7.2	30.05.16
Fenix	Fenix DFV2-13.5 Pt. # FM00135-2	E = FENIX  DEV <sup>2</sup> 13.5	Sensored system. "Y" Wind. Black Alu. Can & End-Caps. Timing insert with Fenix DFV2 etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part # MF72-B Option rotor: MF72	19.05.16
Tekin	Redline Gen3 Part # TT2707	CENE: 19.5T	Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721.  Option rotors: 2719, 2722	16.05.16

Tekin	Redline Gen3 Part # TT2706 RPM	END& 19.5T	Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721.  Option rotors: 2719, 2722	16.05.16
Fenix	Fenix DFV-13.5 Pt. # FM00135	FERIX	Sensored system. "Y" Wind. Black Alu. Can & End-Caps. Timing insert with Fenix DFV etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible access with cap removed. Rotor Part # MF72.	18.01.16
Hobbywing	Xerun V10 G2 Pt # 30101107	E DEC.  Manual BLST SENSOREO STOCK	Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo moulded. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 50 deg. Stator and wind visible.  Rotor Part # 30820007 stamped 7-12.5-A.  Option Rotor: # 30820015 stamped 7-12.5-U-B  Option End-Cap, timing +30/+60, Part # 30820054	18.01.16 12.12.16 21.11.16
Turnigy	Trackstar V2 Pt # 80134		Sensored system. "Y" Wind. Stator slides from sleeve.Sleeve with wind etched. Adjustable sensor plate timing 0-50 deg. Has stator access. Wind etched on stator. Rotor with name, sizes & Part #. Rotor Part # 919000281	23.11.15
Team Epic	ReVtech 24K Pt # REV1801	24/(4)	Sensored system. "Y" Wind. End-Plate has Revtech etched. Stator sleeve with ReVtech & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring & visible. Rotor with name & Part # TEP1112. Optional rotor # TEP1118.	23.11.15
Reedy	Reedy Sonic M3 Part # 255		Sensored system. "Y" Wind. Black Alu. Cap & Sleeve, Alu. timing insert with 'R' logo. Adjustable sensor plate timing 0/+ 50 deg. Caps remove and stator can be removed, wind etched on stator. Nickel sintered rotor with one Alu. balance ring. Rotor Part # 273. Optional Rotors #'s: 272, 286.	17.10.15
Reedy	Reedy Sonic M3 - SS 1S Part # 270		Sensored system. "Y" Wind. Black Alu. Cap & Sleeve, Alu. timing insert with 'R' logo. Adjustable sensor plate timing 0/+ 50 deg. Caps remove and stator can be removed, wind etched on stator. Nickel sintered rotor with one Alu. balance ring. Rotor Part # 272. Optional Rotors #'s: 273, 286.	17.10.15
G Force	G Force Super Extreme Pt # G0150		Sensored system. "Y" Wind. Red Alu. Cap & Sleeve, Alu. timing insert with G logo. Adjustable sensor plate timing 0/+ 60 deg. Caps & sleeve remove, wind etched on stator. Nickel sintered rotor with one Alu. balance ring. Rotor Part # GF400003-54 Option rotor G0045	27.7.15
Motors	below this level		App.4, 4.8 & 4.9, which requires access to the stator to all appraisal of the laminates.	allow
King Golden	Speed Passion V4.0 13.5R #SP001231	SPEED PASSION WINDS COUNTY TO THE PROPERTY TO	Sensored system. "Y" Wind. Black End-Plates & Sleeve with wind etched. Nickel sintered rotor with one Purple balance ring, 12.5 dia, 7.1 core. Adjustable timing 0 -40 deg. Has stator access.	9.3.15
PRT Electronic	PRT AIR 10 Part # A10135	13.51	Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, PRT on End-Plate. Nickel finish Rotor with Cyan Alu. balance ring, 12.5 dia, 7.2 core. Adjustable timing. Caps remove. Wind marked on sleeve. Has stator access. Rotor options:- PRT123RSHT Purple/Nickel. PRT125RS2 Grey/Nickel. PRT125RS Grey/Black. PRT123RS Purple/Black. Logo design updated.	19.01.15 14.08.15

Hirosaka	Hirosaka Part # HSK- PRO135T	13.5 HIROSAHA	Sensored system. "Y" Wind. Black metal End-Bell with plastic timing insert. Adjustable timing 0-45. Black Can/Sleeve. Nickel sintered rotor with Purple balance ring, 12.3 dia, 7.1 core. Caps & sleeve remove, has stator access. Stator marked with wind	15.12.14
EZpower	EZ Kicker EZBR213R	KIGSER	Sensored system. "Y" Wind. Gun-metal End-Plates & Sleeve. Adjustable red timing ring. Nickel sintered rotor with Red hollow balance ring marked EZ, 12.5 dia, 7.2 core. Caps & sleeve remove, has stator access.	17.11.14
Wurks	Wurks Part # R1-135-125-V7	13.5 <sub>WUAKS</sub>	Sensored system. "Y" Wind. End-Plate with R1 Wurks etched. Stator sleeve with Wind painted. Nickel sintered rotor painted Black, no balance ring, 12.5 dia, 7.2 core. Adjustable sensor plate timing 0-60 deg. Has stator access. Single collector ring at 'pinion' end of stator.  Motors with Twin collector rings and/or epoxy filled windings not approved.	27.10.14. 16.12.15 26.10.16
Tianco	ORCA RX3 Part # OMR135X3	TOPICA RESIDENT	Sensored system. "Y" Wind. Black Can & E/Cap. Complete stator removes. Has stator access slots. ORCA RX3 & wind etched on End-Cap. End-Cap Alum., adjustable timing. Rotor with black balance ring 12.4 dia., 7.2 core. Rotor Part # OTR124ST.	20.10.14
Team Powers	Actinium Pt. # TPBLM 135100 ACT		Sensored system. "Y" Wind. Black Aluminium End-Plates, Team Powers etched. Gun-Metal stator sleeve with 13.5T etched. Nickel sintered rotor with no balance ring, 12.45 dia, 7.23 core. Has stator access. Optional End-Plate TP-ATEB-001 allowed. Optional Rotor # TP125G-R.	20.10.14
Trinity	D4 Part# TEP 1701	<b>*************************************</b>	Sensored system. "Y" Wind. Purple Alu. timing plate with TRINITY & 4 etched. Caps and sleeve dark gun-metal, all parts remove. Nickel sintered rotor with one purple balance ring, 12.3 dia, 7.2 core.  Adjustable sensor plate timing -10 + 60 deg. Has stator access. Optional rotor TEP 1112 approved	29.9.14
Absima	Revenge V2 Part # 2130020		Sensored system. "Y" Wind. Black Alu. Caps & Grey Sleeve, Logo only on End-Plate. Sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Sensor plate timing 0/+ 40 deg. Caps & sleeve remove, wind marked on stator.  Only V2 version approved	30.6.14
Reds Racing	VX Part # MTTE 0006	SEPS SEPS CEZ ROMS	Sensored system. "Y" Wind. Red metal End-Plate at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates & has wind etched. Rotor with Black drilled balance ring MSTE0010.  Optional rotors:- # MSTE0009, MSTE0016	05.05.14 06.07.16
G Force	G Force Super Sonic Pt # G0008	C B A Survey	Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, Alu. timing insert with logo printed. Nickel sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Adjustable sensor plate timing 0/+ 40 deg. Caps & sleeve remove, wind etched on stator. Option rotor G0045	07.04.14 27.07.15
Hobbywing	Xerun V10 Pt. # 30401020047	ENSORED STOCK SENSORED STOCK	Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo printed. Nickel sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Adjustable sensor plate timing -20/+ 50 deg. Stator and wind visible via. sleeve slots.	3.3.14
Team Epic	ReVtech Killshot Pt# REV1601T	13.5°	Sensored system. "Y" Wind. Copper colour Aluminium End- Plates, Revtech etched. Blue stator sleeve with ReVtech & Wind painted. Nickel sintered rotor with one purple balance ring, 12.3 dia, 7.2 core. Adjustable sensor plate timing 0-80 deg. Has stator access. Optional rotor TEP 1112 approved.	09.12.13 07.04.14

Team Epic	ReVtech Killshot Pt # REV1601R	13.5°	Sensored system. "Y" Wind. Copper colour Aluminium End- Plates, Revtech etched. Blue stator sleeve with ReVtech & Wind painted. Nickel sintered rotor with one purple balance ring, 12.3 dia, 7.2 core. Adjustable sensor plate timing 0-80 deg. Has stator access. Optional rotor TEP 1112 approved.	09.12.13 07.04.14
Novak	Vulcan Pt. # 3643	13.5 13.5	Sensored system. "Y" Wind. Black Al. End-Plate with NOVAK etched. Stator sleeve with 13.5T label. 3/16 Bearing at Pinion end. Red plastic denoting 13.5. Adjustable timing. Nickel sint. Rotor Pt.# 5941 12.3, 7.1 core. Optional rotor Pt.# 5955 12.5 dia.	09.09.13 21.10.13
Mtroniks	MX-1 Pt. # MTMX135	BOUNDES COMES MINISTERIOR COMES MINISTERIOR COMES COME	Sensored system. "Y" Wind. Anodised Alum. End-Plates & Stator Sleeve, with wind printed. Fixed timing. Nickel sintered rotor with one hollow balance ring, 12.5 dia, 7.2 core. Stator visable via. Sleeve slots.	5.8.13
Muchmore	FLETA ZX Pt # MR-FZX135	13.5 FLETZX	Sensored system. "Y" Wind. Black metal End-Bell with plastic timing plate, with adjustable timing 0-45. Black Can/Sleeve. Stator separates. Nickel sintered rotor with Blue drilled balance ring. Rotor 7.2 core, 12.3 dia. Optional rotor MRFZR12 allowed. Aluminium timing-plate MR-FZAT fitted to later versions.	29.07.13 14.05.14 05.08.14
Nosram	Pure 2 Evolution Spec. Racing Pt.# 91844	12.51	Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Fixed End-Sleeve etched with wind. Sintered rotor, coloured Black, with 1 balance ring. Grey stator moulding. Rotor shaft Black stamped 12.5-25. Slot for stator access. Optional Green rotor # 90639 approved	08.07.13
Corally	Corally Pro Silver 13.5T 399135	TOTAL PARTY OF THE	Sensored system. "Y" Wind. Plain Alum. End-Plates. Adj. timing. Plain Alum. stator sleeve with wind etched. Nickel sintered rotor with one Black balance ring, 12.4 dia, 7.18 core. Stator visable via. Sleeve slots. All red S/Print decal also OK.	17.6.13
Tianco	ORCA TX Pt. # OTM 135TX		Sensored system. "Y" Wind. Dull Grey Aluminium casings. Main sleeve removes. Has stator access slots. ORCA TX & wind etched. End-Plate moulded, adjustable timing. 12.5mm Rotor no balance ring, shaft marked 125S-N. Option rotor 123S-N. 12.3mm. Option EndPlate OME111TX allowed. New sensor Ass. CAS-0220TX-30 fitted.	10.06.13
LRP	X20 13.5T Spec. # 50844	SPEC 13.51	Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Fixed End-Sleeve etched with wind. Sintered rotor, coloured Black, with 1 balance ring. Grey stator moulding. Rotor shaft Black stamped 12.5-25. Slot for stator access. Optional Green rotor # 50639 approved.	22.04.13 28.12.15
Tekin	Redline GEN2 # TT2406 & TT2407		Sensored system. "Y" Wind. Black Alum. End-Plates, not joined. Adj. timing. Alum. Can with wind etched. Stator visable via. Sleeve holes. Nickel sintered rotor with one brass balance ring. Rotor 7.14 core. 2406=12.25 dia. 2407=12.5 dia.	1.4.13
Team Wave	Eclipse # TW2011- 135	TEAM WAVE	Sensored system. "Y" Wind. Black Alum. End-Plates. Adj. timing. Black Alum. stator sleeve with wind etched. Nickel sintered rotor with one plain balance ring, 12.5 dia, 7.17 core, marked 125-R. Stator visable via. Sleeve slots.	1.4.13
Reedy	Reedy Sonic Mach 2 # 233	\$ 13.5 <b>SONIC</b>	Sensored system. "Y" Wind. Black metal End-Bell at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates. Nickel sintered rotor with drilled balance ring, 12.5 dia, 7.2 core # 956. Optional rotors:-# 954, # 955.	25.3.13

Savox	Savox SX.1 # SAV- BLH3650 991757	13.5 TURNS STOCKED FOR	Sensored system. "Y" Wind. Aluminium casings. Slot for stator access included. Main sleeve removes, stator spigoted into fixed casing. Saxox X1 & wind etched. End-Plate moulded, adjustable timing. Rotor has no balance ring.	25.3.13
Team Orion	VST2 Pro Stock 13.5. # ORI 28251		Sensored system. "Y" Wind. Grey one-piece Can. Black Aluminium End-Plate retained with five screws, adjustable moulded timing plate. Wind etched. Nickel sintered rotor, 12.5 dia, 7.1 core, no balance rings. Optional 12.4 dia, 7.2 core.	25.3.13
Motors below			oved before implementation of EFRA Rule App.4, 4.8 & 4.9, isal of laminates). Some motors do allow stator access.	(requiring
Horizon Hobby	Dynamite Platinium 13.5T # DYP 1013		Sensored system. "Y" Wind. Black Alluminium End-Plate at Term. End, with adjustable timing. Wind etched on Term. Sleeve, Stator mould & Stator Lams. Stator separates. Nickel sintered rotor with drilled balance ring, 12.5 dia, 7.2 core.	20.8.12
Dualsky	Track & Field Z5 13.5T Pt # 53651		Sensored system. "Y" Wind. Silver Sleeve & Mounting-Plate. Z5, 13.5T, Track&Field etched on sleeve. Black Alu. End-Plate & retaining ring. Adjustable timing. Nickel sintered rotor with no balance ring, 12.5 dia, 7.2 core.	11.6.12
Team Epic	ReVtech R-Power Pt # REV1051	pe Visech	Sensored system. "Y" Wind. Copper colour Aluminium End-Plates, ReVtech painted. Blue stator sleeve with ReVtech & Wind painted. Nickel sintered rotor with one purple balance ring, 12.45 dia, 7.2 core. Adjustable sensor plate timing. Mounting Plate with 3 x 5.9mm slots.	12.3.12
Vampire	Vampire Type AB+ Bloodline Pt. # VR-3135		Sensored system. "Y" Wind. Black Plastic End-Plate at Term. End, with adjustable timing. Sensor plug horizontal. Purple End plates. Wind etched. Nickel sintered rotor with no balance rings, 12.5 dia, 7.21 core.	12.3.12
Graupner	GM Brushless PRO. Pt. # 97413. 2012 version.		Sensored system. "Y" Wind. Alum. Mounting-Plate with 3x5mm holes and 3 radiused slots. Plastic End-Cap with GM moulded. Adj. timing. Gun-Metal stator sleeve with Wind & Pt.# etched. Side entry sensor plug. Nickel rotor marked GM Stock, 12.51 dia, 7.24 core.	31.12.11
Tekin	Tekin Redline 13.5T Spec. Pt. # TT2252 (Etched Can)		Sensored system. "Y" Wind. Red Aluminium mounting plate. Black moulded End-Bell with Tekin. Grooved Al. bonded stator sleeve with 13.5T etched. Nickle plated sintered rotor, 12.5 dia, 7.1 core. No balance rings.	17.10.11
Thunder Power	Z3R-S Part # TPM-540A135	SEL-AL THURDER J POWER J	Sensored system. "Y" Wind. Black Plastic Moulding at Term. End, with adjustable timing. Red Can/Sleeve with silver end cover. Wind etched on stator. Stator separates. Nickel sintered rotor with drilled red balance ring, 12.25 dia, 7.2 core. Optional rotors: - Blue or Green balance ring.	17.10.11 16.04.12
Reedy	Reedy Sonic Pt. # 942	E CE	Sensored system. "Y" Wind. Black Plastic End-Plate at Term. End, with adjustable timing. Black Can/Sleeve. Wind etched. Stator separates. Nickel sintered rotor with drilled balance ring, 12.5 dia, 7.2 core. Later version has more timing graduations detailed & relocated pointer.	04.07.11
Speed Passion	Competition 3.0 MMM Version Pt.# SP000038		Sensored system. "Y" Wind. Dark Gun-Metal Aluminium Sleeve & End-Plates, SP etched. Sleeve with Wind & MMM etched. End-Plates with grooves. Red sensor board. Black sintered rotor with one balance ring, 12.3 dia, 7.2 core. Adjustable timing 11-20 deg.	4.7.11

Viper	Viper VST Pt. # 8VST 135001		Sensored system. "Y" Wind. Red Aluminium End-Plates, VST & 13.5T etched. Black grooved stator sleeve. Black sintered rotor with no balance rings, 12.5 dia, 7.35 core. Adjustable timing.	16.5.11
Novak	Ballistic Pt. # 3613	B.5 ROVER	Sensored system. "Y" Wind. Black Al. End-Plate with NOVAK etched. Stator sleeve with 13.5T label. Ring etched. Nickel plated sintered rotor, 12.3 dia, 7.12 core. Red plastic denoting 13.5. Adjustable timing.  Vented End-Bells # 5925 approved.	11.04.11 18.06.12
Team Powers	Plutonium Pt.# TP-BLM- 135100PL	13.5 Mars	Sensored system. "Y" Wind. Black Aluminium End-Plates, Team Powers etched. Gun-Metal stator sleeve with 13.5T etched. Nickel sintered rotor with no balance ring, 12.23 dia, 7.24 core. Adjustable sensor plate timing. Optional End-Plate TP-ATEB-001 allowed.	11.04.11
HPI	Flux Pro. Pt. # 101732	C B A 13.5T	Sensored system. "Y" Wind. Black Aluminium End-Plates, HPI etched. Black stator sleeve with Wind etched. Nickel sintered rotor, 12.5 dia, 7.2 core. Adjustable timing. Optional rotor - 12.2 dia, 7.2 core, Nickel plt. Optional rotor 107252 - Mag. & Shaft Black.	28.03.11 07.05.12
Hobbywing	Xerun Pt. # 90040120	CONTROL OF THE PROPERTY OF THE	Sensored system. "Y" Wind. Polished Auminium End-Plates, Hobbywing etched. Fixed timing. Blue stator sleeve with 13.5T & Pt.# etched. Sleeve & EndPlates also Gunmeteal colour. Side entry sensor plug. Nickel sintered rotor, 12.4 dia, 7.2 core. Rotor with one balancing ring.	12.2.11
Graupner	GM Brushless PRO. Pt.# 97353 2011 version.		Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, GM-Racing etched. 5 timing threads. Gun-Metal stator sleeve with S13.5T & Pt.# etched. Side entry sensor plug. Black sintered rotor, 12.4 dia, 7.21 core. Rotor with one balancing ring.	31.1.11
Tianco	ORCA RX2 Pt. # OBM135X2	OPEA POTENTIAL ET ( C I A RADTON)	Sensored system. "Y" Wind. Gun-Metal End-Plates, RX2 & 13.5T etched. Gun-Metal sleeve with RX2 & 13.5T etched. Black rotor, one balance ring, 12.2 dia, 7.23 core. Optional rotor OMA123PX 12.2mm nickel. Adjustable sensor plate timing. Mounting Plate 3 x 6mm holes & chamfer.	31.01.11
Trinity	Trinity D3 Pt. # TEP1051		Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, Trinity etched. Black stator sleeve with D3 & 13.5T etched. Nickel sintered rotor with one balance ring, 12.25 dia, 7.21 core. Adjustable sensor plate timing.	31.1.11
Team Powers	Team Powers Brushless 13.5 Turns Pt. # TPBLM 135100	13.5 13.5	Sensored system. "Y" Wind. Black Aluminium End-Plates, Team Powers etched. 5 outer timing threads, 3 sensor mount threads. Black & Gold stator sleeves with 13.5T etched. Nickel plated sintered rotor, 12.3 dia, 7.24 core. No balancing rings.	10.10.10
Graupner	GM Brushless PRO. Pt.# 97294 2010 version.	#97294 873.51	Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, GM-Racing etched. 5 timing threads. Gun-Metal stator sleeve with S13.5T & Pt.# etched. Side entry sensor plug. Black sintered rotor, 12.3 dia, 7.22 core. Rotor with one balancing ring.	1.2.10
LRP	X12 Vector Stock Spec. Pt.# 50842	StockSper  Kire	Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Sleeve etched "13.5 Turns". Black Sintered rotor, 12.5 dia, 7.1 core. Rotor shaft, Black. Manufacturers 'grooved' Al. End-Bell with name engraved allowed at terminal end. Optional green rotor 50639 12.2, 7.1 core Later versions have rotor shaft stamped.	23.11.09 31.01.11 28.05.12

Nosram	Pure Evolution Spec. Racing Version. Pt.# 91841	TE-5 Toyolk Solv	Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Sleeve etched "13.5 Turns". Black Sintered rotor, 12.5 dia, 7.1 core. Rotor shaft, Black. Manufacturers 'grooved' Al. End-Bell with name engraved allowed at terminal end. Optional green rotor 90639 12.2, 7.1 core Later versions have rotor shaft stamped.	23.11.09 31.01.11 28.05.12
LRP	Vector X11 Stock Spec. Pt. # 50840		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Red anodised ring. Chamfered mounting face. Sleeve etched "13.5 Turns". Sintered rotor, 12.3 dia, 7.35 core. Rotor shaft, Black.  Manufacturers 'slotted' End Plates (std. & thin versions) allowed at pinion end.  Manufacturers later 'grooved' Al. End Plate with name engraved allowed at terminal end.	5.10.09
Speed Passion	3.0 - 13.5R Pt.# SP138135V3	13.5R	Sensored system. "Y" Wind. Light Gun-Metal Aluminium End- Plates, SP & 13.5T etched. Light Gun-Metal stator sleeve with SP13.5T etched. Black sensor board. Black sintered rotor with one balance ring, 12.3 dia, 7.22 core. Adjustable timing 0-10.	5.10.09
GM	Brushless PRO. Pt.# 97294	1972 1972 197281 197281 197281 197281	Sensored system. "Y" Wind. Dark Gun-Metal Aluminium End-Plates, GM-Racing etched. Dark Gun-Metal stator sleeve with S13.5T & Pt.# etched. Black sintered rotor, 12.3 dia, 7.2 core. Rotor with one balancing ring.	5.10.09
Nosram	Spec.' Storm Evolution Pt. No. 91840		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Red anodised ring. Chamfered mounting face. Sleeve etched "13.5 Turns". Sintered rotor, 12.3 dia, 7.35 core. Rotor shaft, Black.  Manufacturers 'slotted' End Plates (std. & thin versions) allowed at pinion end.  Manufacturers later 'grooved' Al. End Plate with name engraved allowed at terminal end.	1.12.08
Paul Worsley. (EFRA Elec. Chairman). Last update 04.07.22				