17.11.25

EUROPEAN FEDERATION RADIO CONTROLLED AUTOMOBILES

Samples of Motors included on this list have been checked for compliance to EFRA Rules for: Brushless 'Spec.' 13.5T Motors.

Only Motors included on this list, can be used at EFRA Sanctioned events (EC or GP), for:

The Motor Class designated for the event.

Whilst sample Motors submitted have been found to conform with EFRA rules for 'Spec' Brushless Motors, it is the responsibility of ALL competitors to ensure that the versions they use also comply with all EFRA rules and requirements.

NOTE: These motors differ from Brushless 'Modified' Motors.

Motor Builder	Type/ Range	Illustration only	Notes	Approval Date	
	Motors below this level must comply with EFRA Rules App.4 :- 4.8 (including 01.03.21 amendment) requiring access to stator to allow measurement and visual appraisal of the laminates. Also 4.9 & 4.16 (including 01.03.21 amendment) which requires the Rotor to be marked with Name or Logo & Part # on shaft.				
Team Powers	Actinium V6S Part # TPRBLM 135100 ACT-V6S	Stock Spec 13.5 TEAM POWERS	Sensored system. Stator open, Caps remove. Team Powers on End-Cap, wind on stator. Adjustable timing 0/+60 deg. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. Rotor with name: Part # TP125G-R50 on shaft.	17.11.25	
Sky RC	ARES Pro V4 Part # SK 400034-02		Sensored system. Stator open. Caps remove. Wind on stator. Adjustable timing 0/+60 deg. Long screws stainless, timing plate screws magnetic, Al. retaining housing, steel shielded magnetic bearings. Rotor with name: Part # SK-715317568 on shaft. No Option rotor submitted.	30.09.25	
R1 Brushless Motor Lab.	R1 Brushless Motor Lab. V30 Part # 020183		Sensored. Caps remove. Adjustable timing 10/+60 deg. All screws non-magnetic, plastic retaining housing with Al. clamp ring. Steel shielded magnetic bearings. R1 & wind on stator. Stator faces no paint on outer 1mm. Rotor with: R1, Part # 2-125726 on shaft. Option rotor: 125755	27.05.25	
Reds Racing	VX GEN4 MR Design Part # MTTE 0057H	O DISSTI I GEN4	Must have cut-outs in End-Caps for stator measure. Sensored system. "Y" Wind. Red Al. timing plate. Adjustable timing 0-50. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE 0031 on shaft. Option rotor: MSTE 0041	05.02.25	
Reds Racing	VX GEN4 PRO Stock Part # MTTE 0061H	13.5T GEN4	Must have cut-outs in End-Caps for stator measure. Sensored system. "Y" Wind. Red Al. timing plate. Adjustable timing 0-50. Long Can screws non-magnetic, timing screws magnetic. Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE 0041 on shaft. Option rotor: MSTE 0031	05.02.25	
United Sino Enterprises	ORCA Blitreme3A Part # MO24BT3U135A (EFRA version)	SCHOOL STATE OF THE STATE OF TH	Sensored system. Stator bonded, but has access holes. Wind printed on stator. Adj. timing 5/60. All screws magnetic, steel shielded magnetic bearings. Small dia. steel location pin 5mm long bonded in stator groove. Rotor with ORCA, Part # RT23HS12548 on shaft. Option rotor: RT18M125258 on shaft.	07.10.24	
Reds Racing	VX3 Part # MTTE 0036P	13.5T VX3	Sensored system. Red Al. timing plate. Adjustable timing 0-50. End-Caps remove, cut-outs for measuring stator. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE0041 on shaft. Option rotor: MSTE0031	O7.10.24 Rotor change. See also 2020 Approvals	
Team Powers	Actinium V5S Part # TPRBLM 135100 ACT-V5S	RECURIUM 55S Stock Space 13.5 TEAM POWER Disaste Marco	Sensored system. Stator open, Caps remove. Team Powers on End-Cap, wind on stator. Adjustable timing 0/+60 deg. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. Rotor with name: Part # TP125G-R50 on shaft.	25.08.24	

Amy Booth Models	ABM G1M Part # ABM10015	AND MARKET	End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & G1M Lightweight printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with ABM, Part # ABM10093 on shaft.	15.04.24
Amy Booth Models	ABM G1 Part # ABM10002		End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & G1 printed on stator. All screws magnetic (brass plated). Al. retaining housing, steel shielded magnetic bearings. Rotor with ABM & Part # ABM10092 on shaft.	15.04.24
Team Corall	Vulcan II y Part # C-61171	THE CAPE IS	Sensored system. One piece Can with Vulcan II Stock & wind on stator. Adj. timing 0-60 deg. Stator bonded. Long Can screws non-magnetic, timing screws magnetic. Al. sensor housing. Steel shielded magnetic bearings. Rotor with Corally, Part # C-61185 on shaft.	14.03.24
Hobbywing	Xerun V10 G4R Pt # 30401749 Standard version	Zarquin —13.5T—	Sensored system. Rotor with one Alu. Fan type bal. ring. Adjustable timing +20/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. Rotor with name & Part # 30820450 on shaft. Option rotor: 30820407.	14.03.24
Reedy	Reedy SP5 R Euro Part # 27489		Sensored system. Stator open, Caps remove. Adjustable timing 0/+50 deg. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. SP5 & wind on stator. No epoxy in winding. Rotor with: Reedy, Part # 27483 on shaft. Option rotor: 27484	15.02.24 08.07.24
United Sind Enterprises	Dort #	GHHIMATI	Sensored system. Stator bonded, but has access holes. Wind printed on stator. Adj. timing 5/60. All screws magnetic, steel shielded bearings. Small dia. steel location pin 5mm long bonded in stator groove. ORCA & Part # RT23HS12548 on magnet. Code # HS125 on shaft. Later production has full Part # on shaft. Option rotor: RT18M125258	17.01.24
Muchmore	Fleta ZX V3 Type ER Part # MR- V3ZX135ERTM	ALVINELATION X TOTAL X	Sensored system. Stator open, Caps remove. Adjustable timing 0/+50 deg. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. MUST have slots in both End-Caps for stator measuring. Rotor with: Muchmore, Part # MR-FZR19XTM on shaft. Option rotor: MR-FZR21X	04.09.23
Surpass Hobby	Rocket RC V6M Lightweight Part # SUR 6513	The Section of the Se	End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & V6M Lightweight printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with: Surpass, Part # C75125 on shaft.	16.08.23
Surpass Hobby	Rocket RC V6 Part # SUR 6613	Total Spice and the spice of th	End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & V6 printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with: Surpass, Part # C78125 on shaft.	16.08.23
Hoomark	Team Zombie EVO II Part # M-TZ- EVO2135T		Sensored system. End-Caps remove. Adjustable timing 0/+60 deg. 4mm thick collector ring. Long body screws non-magnetic, timing plate screws magnetic, Al. sensor retaining housing, magnetic steel shielded bearings. Rotor with: Name & Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725125T	17.04.23
Trinity	Slot Machine Part # TEP 2021E	TRINITY STATE OF STAT	Sensored. Purple end-plate has Trinity & Slot Machine etched. Wind and 'EFRA' on 'open' stator. Adjustable timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. NOTE: Original version has EFRA marked in GOLD on stator. Rotor with name & Part # on shaft TEP1119. Later version has EFRA logo marked in WHITE on stator. Rotor with name & Part # on shaft TEP1120. Either Rotors are allowed.	17.04.23 04.12.23

Team Powers	Actinium V5.0 Pt. # TPRBLM 135100 ACT-V5		Sensored system. Black Al. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. All 6 c/sk screws magnetic, Al. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R50. Option rotor: TP125G-R2	10.03.23	
			Option rotor. TP 125G-R2	16.08.23	
Core RC	Core RC Star Series Fixed timing. Part # CR857	CONTROL CONTRO	Sensored system. "Y" Wind. Black Al. End-Caps with Core RC. Fixed timing. Stator bonded but wind etched on collector ring. All screws magnetic, steel shielded magnetic bearings. Rotor with Name, Part # CR859 on shaft.	04.07.22	
Hobbywing	Justock G2.1 Fixed timing. Part # 30408010	Justock 13.51	Sensored system. "Y" Wind. Black Al. End-Caps with Hobbywing Justock G2.1. Fixed timing. Stator bonded, wind etched on stator. All screws magnetic, steel shielded magnetic bearings. Stator can be measured. Rotor with Name, Part # 30820007 on shaft.	02.05.22	
Hobbywing	Xerun V10 G4 Pt # 30401140	Vinces Xerry In 19.5T	Sensored system. Black all Alu. End-Caps. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # on shaft 30820444. Option rotor: 30820416.	02.05.22	
Nosram	XTEC Nosram N22 Part # 920201	NOS ERES	Sensored system. "Y" Wind. Black Al. End-Cap with XTEC. Adj. timing 0/60. Wind etched on stator, visable. Body screws non-magnetic, timing screws magnetic, steel shielded magnetic bearings. Rotor with Nosram & Part # 920522 on shaft. Option rotor: 920521.	07.02.22	
Hoomark	Team Zombie EVOT. Part # M-TZ- EVO135TT	MO SPEC	Sensored system. Stator removes. Adjustable timing 0/+60 deg. 4mm thick collector ring. All screws magnetic, Al. sensor retaining housing, magnetic steel shielded bearings. Rotor with:Name & Part # on shaft M-TZ-725125. Option rotor: M-TZ-725125T	01.11.21	
Ruddog	Ruddog RP542 Part # RP-0447		Sensored system. 4 side screws retain End-Cap. Timing insert with Ruddog. Adjustable timing 0/+60. Wind & RP542 on stator visible. 3mm colector ring. All screws magnetic, Al. sensor housing, magnetic steel shielded bearings. Stator bonded. Rotor with name & Part #:- RP-0435	05.04.21	
Maclan	MRR V3 Part # MCL1050	Maclou see	Sensored system. 3 side screws retain End-Cap. Timing insert with Maclan. Adjustable timing +20/+ 50. All screws magnetic. Al. sensor housing & horseshoe, magnetic steel shielded bearings. Stator removes with wind etched. Rotor with name & Part # MCL4144.	01.03.21	
Team Powers	Actinium V4.0 Pt. # TPBLM 135100 ACT-V4	E GICTALHITIMAN	Sensored system. Black Al. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. Body screws non-magnetic, timing screws magnetic, Al. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2	01.03.21	
	Motors below this level must comply with EFRA Rules App.4: 4.8 (prior to 01.03.21 amendment) requiring access to stator to allow measurement and visual appraisal of the laminates. Also 4.9 & 4.16 (prior to 01.03.21 amendment) which requires the Rotor to be marked with				
		Name or	Logo & Part #.		
Tekin	Redline G4 SPEC-R Part # TT2763		Sensored system. "Y" Wind. Adj. timing 0/60. Machined Alum. Can, wind printed. Stator visable. All screws magnetic, Plastic sensor housing, magnetic steel shielded bearings. Rotor Part # TT2776 on flat.	07.12.20	
Performa	p1 Radical Stock Part # PA9408	RADICAL PACE AND A STOCK	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+40. Wind in screw slots. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name. Part # PA9356.	07.12.20 05.07.21 Part # updated	

PRT Electronic	PRT AIR Part # PRTAIRX135		Sensored system. "Y" Wind. Alu. Caps remove, PRT on End-Plate. Adjustable timing +30/+75. Good stator access. All screws magnetic, plastic sensor ass., magnetic steel shielded bearings located with brown 'O' ring. Rotor with PRT & Part # 125LVHT on shaft. Option rotor: 125SVHT	24.08.20
Konect	K1 Elite Stock Part # K11901008	LEGIST PARELLINE STOCK	Sensored system. "Y" Wind. Stator not bonded and removes for checking. Wind on stator visible. Adjustable timing 0/60. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part #: K1/12.5C7.2 on flat	06.07.20
Scorpion	SCORPION POWER RR-3420 Part # (ending) 7086984180	13.5T	Sensored system. "Y" Wind. Stator not bonded but tight to remove. Wind on stator. Adjustable timing 0/60. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Only later versions with no paint coatings on the stator ends are approved. Rotor with name & Part #: 4897086984234	06.07.20
Ruddog	Ruddog RP541 Part # RP-0359		Sensored system. "Y" Wind. 4 side screws retain End-Cap. Timing insert with Ruddog & RP541. Adjustable timing 0/+60. Wind on stator visible. 3mm colector ring. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part #:- RP-0349.	11.05.20
Absima	CTM V.3 Part # 2130060	are day to the contract of the	Sensored system. Stator removes, access holes. Absima logo End-Cap, wind on stator. Adj. timing 0/50. Single collector ring. Body & timing screws non-magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part # CTM STK N42UH.	09.03.20
Reds Racing	VX3 Std. Ver. Part # MTTE 0036 MTTE 0036C See notes	13.5T VX3	Sensored system. "Y" Wind. Red Al. timing plate. Adjustable timing 0-50. Caps. remove, cut-outs for measuring stator. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE 0030. Motor with Part # ending with C has non-magnetic long body screws.	03.02.20 09.11.20
Reds Racing	VX3 High Tor. Part # MTTE 0036T MTTE0036TC MTTE0036P MTTE0036PC See notes	13.57	Sensored system. "Y" Wind. Red Al. timing plate. Adjustable timing 0-50. Caps. remove, cut-outs for measuring stator. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE 0031. 4 versions submitted. Motor with Part # ending with:- "T' has higher torque "C' has non-magnetic long body screws. "P' has updated stator material.	22.01.20 09.11.20 02.05.22
Hoomark	Team Zombie EVO. Part # M-TZ-EVO135T	BEC SPEC	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. 4mm thick collector ring. Body screws magnetic, timing screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with: Zombie, Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725123	13.01.20
Corally	Vulcan Stock Part # C-61111		Sensored system. "Y" Wind. Can with Vulcan Stock & wind on stator. Adj. timing 0-60 deg. Stator removes. All screws magnetic, Al. sensor housing. Steel shielded bearings. Rotor with name & Part #: 61130	07.10.19
Fantom	Fantom ICON Torque Part # FAN19213T	H B C	Stator glued in one piece can. Wind on stator. Can has wind & ICON etched. Adjustable timing +20/+60 deg. No full length internal pins, one magnetic pin 1 dia. x 8 long. All screws magnetic. Bearings magnetic with steel shields. Rotor with name, Part # - FAN19585.	30.09.19
Surpass	Rocket-RC V5R Part # SUR 51135	VSR STOCK WING	Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. 3mm colector ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Steel body screws supplied with kit, allowed. Rotor with Surpass, Part # C75125 on shaft. Option rotor: C77123 on shaft.	30.09.19

Speedzone	Speedzone Part # SZBLS135	13.5T SPEEDZONE	One piece Can, stator removes. Adjustable timing 0/+60 deg. Wind etched on stator (hiiden). All screws magnetic. Al. retaining housing, steel shielded bearings. Rotor with name, Part # SZR125S, diameters on shaft. Option Rotor: SZR125S-T, diameters on shaft.	19.08.19 30.09.19
United Sino Enterprises	ORCA Blitreme2 Part # MO18BT54135	OHOA OHOA	Sensored system. Stator bonded, has access holes. ORCA, Blitreme2 & wind etched on End-Cap. Wind on stator. Adj. timing +10/60. Single 3mm collector ring. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part #: RT18M125258.	17.06.19
RC Concept	RC Concept CR10 Part # 20410135		Sensored system. "Y" Wind. Stator bonded. Adjustable timing 0/+60. Wind etched on stator. All screws magnetic, Al. retaining plate, steel shielded bearings. Rotor with name. Part # 50126.	17.06.19
Hobbywing	Xerun V10 G3R Pt # 30401130	13.57 1-	Sensored system. "Y" Wind. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # 30820411. Option rotor: 30820416. Later versions can have mounting end-cap chamfer plain aluminium with no black paint.	15.05.19 17.06.19 06.07.20
XFacto	or Motor (Part #	- REV1101) disqualified due to	o manufacturer technical irregularities found.	24.07.24
RC Streamline	WS Line Part # E19135	West Marine	Sensored system. "Y" Wind. Sleeve with WS Line & wind on stator. Adj. timing 0-60 deg. Has stator access. Body screws non-magnetic, timing screws magnetic. Al. sensor housing. Steel shielded bearings. Rotor with name & Part #: WSL540S	22.04.19
Motiv	MC3 Part # MOV31013	MOTIVE TO	Sensored system. Alu. timing plate with logo. End-Cap ass. removes. Adjustable sensor plate timing 0/+40 deg. Has stator access. Twin collector rings. All screws magnetic, full Al. sensor housing, steel shielded bearings. Rotor with name & part # MOV1330. Option rotor MOV1318.	14.01.19 04.02.19
LRP	XTEC X22 Part # 520201	DELEGIO DE LA CONTRACTION DE L	Sensored system. "Y" Wind. Black Al. End-Bell with XTEC. Adj. timing 0/60. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, steel shielded bearings. Rotor with LRP & Part # 520522, 12.5S on shaft. Option rotor: 520521, 12.3S on shaft. Later motors have two full length slots, and are allowed.	14.01.19
SMC	Lowrider Part # SMCLR40135	Rain CC 2	Sensored system. "Y" Wind. No centre sleeve, End-Caps remove. Adjustable timing +10/+54 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: LR712542	24.12.18
Sky RC	ARES Pro. V2.1 Part # SK-400003-58	ARESON	Sensored system. "Y" Wind. Stator removes. Adjustable timing +5/+55 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: SK-400003-20	03.12.18
Fantom	Fantom ICON Pt. # FAN193131CON		Stator glued in one piece can, no hysol on outer edge. Wind on stator. Can has wind & ICON etched. Adjustable timing +20/+60 deg. Three internal steel pins 2.48 dia. All screws magnetic. Bearings magnetic with steel shields. Rotor with name, Part # - FAN19597.	26.11.18
Surpass	Rocket V4S Stock Spec. Part # SUR7135	W48 STOCK WILLIAM	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with Surpass, Part # C75125 on shaft. Option Rotor: C77123 on shaft.	17.09.18 12.11.18

Team Powers	Actinium V3.0 Pt. # TPBLM 135100 ACT-V3		Sensored system. Black Aluminium Sleeve & End-Cap. Stator with wind etched & visable. Sintered rotor with one balance ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2	17.09.18 02.07.19
Hoomark	Zombie CJ Edition. Part # M-TZ-RBE135T	PRO SPEC	Sensored system. "Y" Wind. Stator bonded but visable. Adjustable timing 0/+60 deg. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with: Zombie, Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725125S	17.09.18
Tekin	Redline G3 SPEC-R Part # TT2698		Sensored system. "Y" Wind. Adj. timing 0/60. Machined Alum. Can, wind printed. Stator visable. All screws magnetic, Al. retaining housing, steel shielded bearings. Min. length 50.00mm. Rotor with name & Part # 2722. Option rotor: 2721	23.04.18
Hobbywing	Xerun V10 G3 Pt # 30401103	Xerry No. 13.5T—	Sensored system. "Y" Wind. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor Part # 30820018. Later motors 30820406. Both rotors allowed.	27.02.18 24.12.18
Surpass	Rocket V3 Pro Stock. Part # SUR6135		Sensored system. "Y" Wind. Stator bonded, has access. Adjustable timing 0/+45 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with Surpass, Part # C74125 on shaft. Black casings & Part # update ion 2022.	05.02.18
Reedy	SUR1135 Reedy S+Plus Part # 27403		Sensored system. "Y" Wind. Alu. timing insert with 'R' logo, timing 0/+ 50 deg. Stator can be removed, wind etched on stator. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # 27414 of shaft flat.	15.01.18
Tianco	ORCA Blitreme Part # OMB135BL	BLITREME	Sensored system. "Y" Wind. Stator bonded, has access holes. ORCA Blitreme & wind etched on End-Cap. Adjustable timing 0/60. Twin collector ring. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # ORR425SO.	15.01.18
Reds Racing	VX2 Part # MTTE 0022	13.5T VX2	Sensored system. "Y" Wind. Red Al. timing adjuster. Adjustable timing 0-50. Stator removes & has wind etched. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # MSTE0017. Option rotor MSTE 0018	15.01.18
Arrowmax	Dash R-Tune Part # DA740135	Dasit Tue	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind on stator. All screws magnetic, Al. retaining plate, steel shielded bearings. (Non-magnetic body screws included with kit). Rotor with DASH:- Part # - DA-730003. Shaft RSS125.	01.01.18 19.02.18
NOTE		AND STEEL SHIELD	17, WERE HOMOLOGATED WITH MAGNETIC SCRE DED BEARINGS FITTED.	WS
	Changing the	ese items invalidates the Moto	r Part # stated and contravenes App.4 Rule 4.6.	
Maclan	MRR V2 Part # MCL1033	G Maclan	Sensored system. "Y" Wind. Black Can & End-Cap with logo. Nickel rotor with one Black Alu. bal. ring. Adjustable timing +20/+ 50 deg. Has stator access. Rotor Part # MCL4143. Option Rotor: MCL 4144	16.10.17 20.11.17
Trinity	Monster Max Horsepower Part # TEP 1505	MAX TRINSTTY	Sensored system. 'Y' Wind. Green end-plate has Trinity & Monster Max etched. Stator sleeve with Trinity, M Max & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. Rotor with name & Part # TEP1112, later versions TEP1119. Either options allowed.	16.10.17 09.04.18

Fantom	Fantom FR-1 v3R Pt. # FAN19411S	PHILIPPIN ISS	Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind & 'R' etched. Adjustable timing +20/+60 deg. Has stator access no hysol on outer edge. Wind etched on stator. Rotor with name, Part # - FAN19597.	25.09.17
Fantom	Fantom FR-1 v3T Pt. # FAN19412S	Pennem	Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind & 'T' etched. Adjustable timing +20/+60 deg. Has stator access no hysol on outer edge. Wind etched on stator. Rotor with name, Part # - FAN19597.	25.09.17
Motiv	MCR Part # MOV101352S		Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Both End-Caps remove. Nickel sintered rotor with black balance ring. Adjustable sensor plate timing +20/+50 deg. Has stator access. Rotor part # MOV1340	28.08.17
R1 Brushless Motor Lab.	R1 Part # R1-135B-125-V16 BRCA & EFRA		Sensored system. "Y" Wind. End-Plate with R1 etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. V16 etched on sleeve. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001	24.07.17
Muchmore	FLETA ZX V2 Part # MR-V2ZX135ER	FLETAZXZE	Sensored system. "Y" Wind. Al. timing plate, adjust. timing 0-50. Stator removes but can be seen through holes. Wind etched on stator. Shaft etched with rotor dia. Rotor with name & part #. Rotor Part #: MR-FZR 21Y. Optional rotor #s: All MR-FZR :- 18TI, 19Z, 21TIZ, 21Z	24.07.17
PRT Electronic	PRT AIRs 10 Part # A10135S		Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, PRT on End-Plate. Adjustable timing. Caps remove. Wind marked on sleeve. Has stator access. Rotor with name & Part # 125RSHT. Option rotor: 123RSHT	31.05.17
PRT Electronic	PRT AIR 10 Part # A10135 (2017 ver.)	PIR I	Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, PRT on End-Plate. Adjustable timing. Caps remove. Wind marked on sleeve. Has stator access. Rotor with name & Part # 125RSHT. Option rotor: 123RSHT	15.05.17
Hobbywing	Xerun Justock 3650 G2 Pt # 30408005	WSEOCK!	Sensored system. "Y" Wind. Black Alu. Can & End-Cap with Justock 3650G2. Nickel sintered rotor with one Alu. bal. ring. No timing adjustment. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A.	15.05.17
R1 Brushless Motor Lab.	R1 Part # R1-135B-125-V15 BRCA & EFRA	13.5 21	Sensored system. "Y" Wind. End-Plate with R1 (only) etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001, R1-125-720-001	13.02.17 03.04.17
Fantom	Fantom FR-1 v2R Pt. # FAN19471S		Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind etched. Adjustable timing +20/+60 deg. Has stator access but hysol on ends. Wind etched on stator. Rotor with name, Part # -FAN19591. Option Rotor: FAN19590.	23.01.17
Fantom	Fantom FR-1 v2T Pt. # FAN19472S	- 13.5 . 13.5	Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind etched. Adjustable timing +20/+60 deg. Has stator access but hysol on ends. Wind etched on stator. Rotor with name, Part # -FAN19591. Option Rotor: FAN19590.	23.01.17
Orion	Vortex Ultimate Stock LW (2016) # ORI28369		Sensored system. "Y" Wind. Full dia. Black sleeve with removable Alu. End-Plates, all retained with long screws. Adjustable timing 0/+40. Wind etched. Two sensor plug. Rotor has name & part # ORI 41554. Option Rotor: ORI 41553	23.01.17 13.02.17

Maclan	MRR Part # MCL1015	Maclan	Sensored system. "Y" Wind. Black Can & End-Cap with copper timing plate & logo. Nickel rotor with one red Alu. bal. ring. Adjustable timing +20/+ 60 deg. Stator removes easily. Rotor Part # MCL4075. Optional rotors # MCL4076 & MCL4093.	16.01.17
Tianco	ORCA RT Pt. # OMT135RT		Sensored system. "Y" Wind. Black Can & E/Cap. Stator has access slots. Stator accepts 14.5mm gauge. ORCA RT & wind etched on End-Cap. Adjustable timing +/-50. Rotor with name & Part # ORR425S0. Option rotors:- ORR 325S1, 233SL, 238SL, 253SL, 258SL.	16.01.17
Reds Racing	VX Part # MTTE 0012	TANK PROPERTY OF THE PROPERTY	Sensored system. "Y" Wind. Red metal End-Plate at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates & has wind etched. Rotor with Green drilled balance ring Part # MSTE0016. Optional rotors:- # MSTE0009, MSTE0010	19.12.16
Trinity	Monster Horsepower Part # TEP 1501 "M"	HORSEPOWER 13.5T TREMETTY	Sensored system. "Y" Wind. Green end-plate has Trinity etched. Stator sleeve with Trinity, M & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. Rotor with name & Part # TEP1118. Option Rotor # TEP1112.	14.11.16
Orion	Vortex VST2 Pro. Mg. LW (2016) # ORI28330		Sensored system. Dark grey one-piece Can. End-Plate has Team Orion & wind marked, retained with five screws. Adjustable timing +/- 10. Two sensor plugs. Has stator access. Rotor with name & Part # ORI 41476 Option rotor: ORI 41517	24.10.16
Team Powers	Actinium Pt. # TPBLM 135100 ACT- V2	13.5	Sensored system. "Y" Wind. Black Aluminium Sleeves & End- Plates. Stator with wind etched & visable. Nickel sintered rotor with no balance ring. Has stator access. (UK Spec. label not mandatory). Rotor with name, Part # TP125G-R	24.10.16
Corally	Dynospeed Spec. 3.0 Part # C-61101	Turns access	Sensored system, two ports. "Y" Wind. One end of stator visable but stator removes. Wind etched on End-Cap. End-Cap Alum., adjustable timing, no numbers. Rotor with logo, Part # 61130	08.08.16
Tesla	Tesla EP Part # TS-194135T-S	SPECIOSY A B B	Sensored system. "Y" Wind. Blue Alu. Can & End-Caps. Timing insert with Tesla logo etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part # TS-194136	18.07.16
Motiv	M Code Part # MOV10305S	MCDDE 13.5	Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Mounting Cap removes. Nickel sintered rotor with no balance ring. Adjustable sensor plate timing 0/+50 deg. Has stator access. Rotor part # MOV1315	18.07.16
Fantom	Fantom FR-1 Type M Pt. # FAN19480S	TYPE M Fandanii	Sensored system. "Y" Wind. Stator glued & spigoted in sleeve. Sleeve with wind etched. Adjustable sensor plate timing +20/+60 deg. Has stator access. Wind etched on stator. Rotor with name, Part # - FAN19591. Optional Rotor: FAN19590.	18.07.16 05.12.16
Fantom	Fantom FR-1 Type RS Pt. # FAN19481S	TYPE RET	Sensored system. "Y" Wind. Stator glued & spigoted in sleeve. Sleeve with wind etched. Adjustable sensor plate timing +20/+60 deg. Has stator access. Wind etched on stator. Rotor with name, Part # - FAN19591. Optional Rotor: FAN19590.	18.07.16 05.12.16
Ruddog	Ruddog RP540 Part # RP-0013	RP540	Sensored system. "Y" Wind. Silver Alu. Can & End-Caps. Timing insert with Ruddog etched. Nickel rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible with wind visable on stator. Rotor Part # RP-12.5-7.2	30.05.16

Fenix	Fenix DFV2-13.5 Pt. # FM00135- 2	E = FENIX BEV ² 13.5	Sensored system. "Y" Wind. Black Alu. Can & End-Caps. Timing insert with Fenix DFV2 etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part # MF72-B Option rotor: MF72	19.05.16		
Tekin	Redline Gen3 Part # TT2707	CONS. 19.5T	Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722	16.05.16		
Tekin	Redline Gen3 Part # TT2706 RPM	EENE 13.5T	Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722	16.05.16		
Fenix	Fenix DFV-13.5 Pt. # FM00135	FEDIX arv-12,5	Sensored system. "Y" Wind. Black Alu. Can & End-Caps. Timing insert with Fenix DFV etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible access with cap removed. Rotor Part # MF72.	18.01.16		
Hobbywing	Xerun V10 G2 Pt # 30101107	Manager BEST SENEORED STOCK	Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo moulded. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 50 deg. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A. Option Rotor: # 30820015 stamped 7-12.5-U-B Option End-Cap, timing +30/+60, Part # 30820054	18.01.16 12.12.16 21.11.16		
	For Homologations before 2016 See:- Brushless ARCHIVE, All Wind Classes before 2016.					
	Paul Worsley. (EFRA Brushless Motor Homologation Officer). email: paul.g.worsley@gmail.com 17.11.2					