

EUROPEAN FEDERATION RADIO CONTROLLED AUTOMOBILES

Samples of Motors included on this list have been checked for compliance to EFRA Rules for:-Brushless 'Spec.' 21.5T Motors.

Only Motors included on this list, can be used at EFRA Sanctioned events (EC or GP), for:
The Motor Class designated for the event.

Whilst sample Motors submitted have been found to conform with EFRA rules for 'Spec' Brushless Motors, it is the responsibility of ALL competitors to ensure that the versions they use also comply with all EFRA rules and requirements.

NOTE: These motors differ from Brushless 'Modified' Motors. Motor Type/ **Approval Illustration only** Notes **Builder Date** Range Motors below this level must comply with EFRA Rules App.4:- 4.8 (including 01.03.21 amendment) requiring access to stator to allow measurement and visual appraisal of the laminates. Also 4.9 & 4.16 (including 01.03.21 amendment) which requires the Rotor to be marked with Name or Logo & Part # on shaft. Actinium V6S Sensored system. Stator open, Caps remove. Team Powers on Team End-Cap, wind on stator. Adjustable timing 0/+60 deg. All screws Part # 17.11.25 Powers magnetic, Al. retaining housing, steel shielded magnetic bearings. TPRBLM 215100 Rotor with name: Part # TP125G-R50 on shaft. ACT-V6S Sensored system. Stator open. Caps remove. Wind on stator. ARES Pro V4 Adjustable timing 0/+60 deg. Long screws stainless, timing plate screws magnetic, Al. retaining housing, steel shielded magnetic 30.09.25 Sky RC bearings. Part # Rotor with name: Part # SK-715317568 on shaft. SK 400034-04 No Option rotor submitted. Sensored. Caps remove. Adjustable timing 10/+60 deg. All screws R1 Brushless non-magnetic, plastic retaining housing with Al. clamp ring. Steel R1 Brushless Motor Lab. shielded magnetic bearings. R1 & wind on stator. Stator faces no 27.05.25 paint on outer 1mm. Motor Lab. V30 Rotor with: R1. Part # 2-125726 on shaft. Part # 020181 Option rotor: 125755 Must have cut-outs in End-Caps for stator measure. Sensored VX GEN4 system. "Y" Wind. Red Al. timing plate. Adjustable timing 0-50. All Reds MR Design screws magnetic, Al. sensor housing & retaining plate, magnetic 05.02.25 steel shielded bearings. Racing Part# Rotor with name & Part # MSTE 0031. MTTE 0059H Option rotor: MSTE 0041 Must have cut-outs in End-Caps for stator measure. Sensored VX GEN4 system. "Y" Wind. Red Al. timing plate. Adjustable timing 0-50. Reds PRO Stock Long Can screws non-magnetic, timing screws magnetic. Al. 05.02.25 sensor housing & retaining plate, magnetic steel shielded bearings. Racing Part# Rotor with name & Part # MSTE 0041. MTTE 0063H Option rotor: MSTE 0031 Sensored system. Stator bonded, but has access holes. Wind **ORCA** printed on stator. Adj. timing 5/60. All screws magnetic, steel Blitreme3A United Sino shielded magnetic bearings. Small dia. steel location pin 5mm long 07.10.24 Part # bonded in stator groove. Enterprises MO24BT3U215A Rotor with ORCA, Part # RT23HS12548 on shaft. (EFRA version) Option rotor: RT18M125258 on shaft. 07.10.24 Sensored system. Red Al. timing plate. Adjustable timing 0-50. End-Caps remove, cut-outs for measuring stator. All screws magnetic, Rotor VX3 Reds Al. sensor housing & retaining plate, magnetic steel shielded change. Part # Racing bearings. See also MTTE 0038P Rotor with name & Part # MSTE0041 on shaft. 2020 Option rotor: MSTE0031 Approvals Actinium V5S Sensored system. Stator open, Caps remove. Team Powers on Team End-Cap, wind on stator. Adjustable timing 0/+60 deg. All screws Part # 25.08.24 Powers magnetic, Al. retaining housing, steel shielded magnetic bearings. TPRBLM 215100 Rotor with name: Part # TP125G-R50 on shaft. ACT-V5S

| Hobbywing | Xerun V10 G4R Pt # 30401747 Standard version | LINGAIN CALL MARKET CALL MARKE | Sensored system. Rotor with one Alu. Fan type bal. ring. Adjustable timing +20/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # 30820450 on shaft. Option rotor: 30820460. | 20.07.24 |
|----------------------------|--|--|--|----------------------|
| Amy Booth Models | ABM G1M Part# ABM10017 | AUM HACIN | End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & G1M Lightweight printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with ABM, Part # ABM10093 on shaft. | 01.04.24 |
| Amy Booth Models | ABM G1 Part # ABM10004 | ARAC PACENTO | End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & G1 printed on stator. All screws magnetic (brass plated). Al. retaining housing, steel shielded magnetic bearings. Rotor with ABM & Part # ABM10092 on shaft. | 01.04.24 |
| Team Corally | Vulcan II Part# C-61173 | TOTAL COMMENT | Sensored system. One piece Can with Vulcan II Stock & wind on stator. Adj. timing 0-60 deg. Stator bonded. Long Can screws non-magnetic, timing screws magnetic. Al. sensor housing. Steel shielded magnetic bearings. Rotor with Corally, Part # C-61185 on shaft. | 14.03.24 |
| United Sino Enterprises | ORCA Blitreme3 Part # MO24BT3U215 (EFRA version) | CHCA CENTRAL CONTROL OF CONTROL O | Sensored system. Stator bonded, but has access holes. Wind printed on stator. Adj. timing 5/60. All screws magnetic, steel shielded bearings. Small dia. steel location pin 5mm long bonded in stator groove. ORCA & Part # RT23HS12548 on magnet. Code # HS125 on shaft. Later production has full Part # on shaft. Option rotor: RT18M125258 | 17.01.24 03.06.24 |
| Muchmore | Fleta ZX V3 Type ER Part # MR- V3ZX215ERTM | Elastra 2.51 | Sensored system. Stator open, Caps remove. Adjustable timing 0/+50 deg. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. MUST have slots in both End-Caps for stator measuring. Rotor with: Muchmore, Part # MR-FZR19XTM on shaft. Option rotor: MR-FZR21X. | 04.09.23 07.07.24 |
| Surpass Hobby | Rocket RC V6M Lightweight Part # SUR 6521 | The state of the s | End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & V6M Lightweight printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with: Surpass, Part # C75125 on shaft. | 16.08.23 |
| Surpass Hobby | Rocket RC V6 Part # SUR 6621 | POLICIO CARROLLE DE LA CONTRACTOR DE LA | End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & V6 printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with: Surpass, Part # C78125 on shaft. | 16.08.23 |
| Hoomark | Team Zombie EVO II Part # M-TZ- EVO2215TT | | Sensored system. End-Caps remove. Adjustable timing 0/+60 deg. 4mm thick collector ring. Long body screws non-magnetic, timing plate screws magnetic, Al. sensor retaining housing, magnetic steel shielded bearings. Rotor with: Name & Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725125T | 03.07.23 |
| Trinity | Slot Machine Part # TEP 2023E | EFRA C | Sensored. Purple end-plate has Trinity & Slot Machine etched. Wind and 'EFRA' on 'open' stator. Adjustable timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. NOTE: Original version has EFRA marked in GOLD on stator. Rotor with name & Part # on shaft TEP1119. Later version has EFRA logo marked in WHITE on stator. Rotor with name & Part # on shaft TEP1120. Either Rotors are allowed. | 03.04.23 |
| Team Powers | Actinium V5.0 Pt. # TPRBLM 215100 ACT-V5 | 25.5 GITTON HIMMER | Sensored system. Black Al. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. All 6 c/sk screws magnetic, Al. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R50 on shaft. Option rotor: TP125G-R2 | 10.03.23 |

| Hobbywing | Justock G2.1 Fixed timing. Part # 30408012 | Justock 21.51 6) MODERMING. | Sensored system. "Y" Wind. Black Al. End-Caps with Hobbywing Justock G2.1. Fixed timing. Stator bonded, wind etched on stator. All screws magnetic, steel shielded magnetic bearings. Stator can be measured. Rotor with Name, Part # 30820007 on shaft. | 02.05.22 |
|----------------|--|--------------------------------------|--|---|
| Hobbywing | Xerun V10 G4 Pt # 30401142 | | Sensored system. Black all Alu. End-Caps. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # on shaft 30820445. Option rotor: 30820444. | 02.05.22 |
| Nosram | XTEC Nosram N22 Part # 920203 | N22 | Sensored system. "Y" Wind. Black Al. End-Cap with XTEC. Adj. timing 0/60. Wind etched on stator, visable. Body screws non-magnetic, timing screws magnetic, steel shielded magnetic bearings. Rotor with Nosram & Part # 920522 on shaft. Option rotor: 920521. | 07.02.22 |
| Ruddog | Ruddog RP542 Part # RP-0449 | | Sensored system. 4 side screws retain End-Cap. Timing insert with Ruddog. Adjustable timing 0/+60. Wind & RP542 on stator visible. 3mm colector ring. All screws magnetic, Al. sensor housing, magnetic steel shielded bearings. Stator bonded. Rotor with name & Part #:- RP-0435 | 05.04.21 |
| Maclan | MRR V3 Part # MCL1052 | Maclan Est | Sensored system. 3 side screws retain End-Cap. Timing insert with Maclan. Adjustable timing +20/+ 50. All screws magnetic. Al. sensor housing & horseshoe, magnetic steel shielded bearings. Stator removes with wind etched. Rotor with name & Part # MCL4144. | 01.03.21 |
| Team Powers | Actinium V4.0 Pt. # TPBLM 215100 ACT-V4 | E GICKHITHIID AND | Sensored system. Black Al. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. Body screws non-magnetic, timing screws magnetic, Al. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2 | 01.03.21 |
| | | al of the laminates. Also 4.9 & 4.16 | 4.8 (prior to 01.03.21 amendment) requiring access to stator (prior to 01.03.21 amendment) which requires the Rotor to be Logo & Part #. | |
| Tekin | Redline G4 SPEC-R Part # TT2761 | | Sensored system. "Y" Wind. Adj. timing 0/60. Machined Alum. Can, wind printed. Stator visable. All screws magnetic, Plastic sensor housing, magnetic steel shielded bearings. Rotor Part # TT2776 on flat. | 07.12.20 |
| Performa | p1 Radical Stock Part # PA9410 | RADICAL PLACE TICH | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+40. Wind in screw slots. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name. Part # PA9356. | 07.12.20 05.07.21 Part # updated |
| Konect | K1 Elite Stock Part # K11901010 | LEGILITE STOCK | Sensored system. "Y" Wind. Stator not bonded and removes for checking. Wind on stator visible. Adjustable timing 0/60. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part #: K1/12.5C7.2 on flat | 06.07.20 |
| Ruddog | Ruddog RP541 Part # RP-0363 | | Sensored system. "Y" Wind. 4 side screws retain End-Cap. Timing insert with Ruddog & RP541. Adjustable timing 0/+60. Wind on stator visible. 3mm colector ring. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part #:- RP-0349. | 11.05.20 |
| Reedy | Reedy S+Plus Torque Part # 27428 | | Sensored system. "Y" Wind. Alu. timing insert with 'R' logo, timing 0/+ 50 deg. Stator can be removed, wind etched on stator, twin lines round wind. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # 27414 of shaft flat. | 06.04.20 |

| Absima | CTM V.3 Part # 2130062 | Described of the second of the | Sensored system. Stator removes, access holes. Absima logo End-Cap, wind on stator. Adj. timing 0/50. Single collector ring. Body & timing screws non-magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part # CTM STK N42UH. | 09.03.20 |
|----------------------------|---|--|---|----------------------------------|
| Reds Racing | VX3 Part # MTTE 0038 Also: MTTE0038C MTTE0038P MTTE0038PC See notes | 21.5T VX3 | Sensored system. "Y" Wind. Red Al. timing plate. Adjustable timing 0-50. Caps. remove, cut-outs for measuring stator. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE 0030. Motor with Part # ending with:- 'C' has non-magnetic long body screws. 'P' has updated stator material | 22.01.20 09.11.20 02.05.22 |
| Hoomark | Team Zombie EVO. Part # M-TZ-EVO215T | MO SPEC | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. 4mm thick collector ring. Body screws magnetic, timing screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with: Zombie, Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725123 | 13.01.20 |
| Corally | Vulcan Stock Part # C-61113 | | Sensored system. "Y" Wind. Can with Vulcan Stock & wind on stator. Adj. timing 0-60 deg. Stator removes. All screws magnetic, Al. sensor housing. Steel shielded bearings. Rotor with name & Part #: 61130 | 07.10.19 |
| Surpass | Rocket-RC V5R Part # SUR 51215 | VER STOCK WHEELE | Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. 3mm colector ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Steel body screws supplied with kit, allowed. Rotor with Surpass, Part # C75125 on shaft. Option rotor: C77123 on shaft. | 30.09.19 |
| RC Concept | RC Concept CR10 Part # 20410215 | POWER GILLS >> | Sensored system. "Y" Wind. Stator bonded. Adjustable timing 0/+60. Wind etched on stator. All screws magnetic, Al. retaining plate, steel shielded bearings. Rotor with name. Part # 50126. | 17.06.19 |
| Hobbywing | Xerun V10 G3R Pt # 30401132 | AMERICANA CONTROL OF THE PARTY | Sensored system. "Y" Wind. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # 30820411. Option rotor: 30820416. Later versions can have mounting end-cap chamfer plain aluminium with no black paint. | 15.05.19 17.06.19 06.07.20 |
| RC Streamline | WS Line Part # E19215 | | Sensored system. "Y" Wind. Sleeve with WS Line & wind on stator. Adj. timing 0-60 deg. Has stator access. Body screws non-magnetic, timing screws magnetic. Al. sensor housing. Steel shielded bearings. Rotor with name & Part #: WSL540S | 22.04.19 |
| United Sino Enterprises | ORCA Blitreme2 Part # MO18BT54215 | BATT REMER | Sensored system. Stator bonded, has access holes. ORCA, Blitreme2 & wind etched on End-Cap. Wind on stator. Adj. timing +10/60. Single 3mm collector ring. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part #: RT18M125258. | 25.03.19 |
| LRP | XTEC X22 Part # 520203 | | Sensored system. "Y" Wind. Black Al. End-Bell with XTEC. Adj. timing 0/60. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, steel shielded bearings. Rotor with LRP & Part # 520522, 12.5S on shaft. Option rotor: 520521, 12.3S on shaft. Later motors have two full length slots, and are allowed. | 14.01.19 01.07.19 |
| SMC | Lowrider Part # SMCLR40215 | Ann CCE | Sensored system. "Y" Wind. No centre sleeve, End-Caps remove. Adjustable timing +10/+54 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: LR712542 | 24.12.18 |

| Sky RC | ARES Pro. V2.1 Part # SK-400003-60 | ARESMO | Sensored system. "Y" Wind. Stator removes. Adjustable timing +5/+55 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: SK-400003-20 | 03.12.18 |
|---|--|--|--|----------------------|
| Hoomark | Zombie CJ Edition. Part # M-TZ-RBE215T | TOWN ST. | Sensored system. "Y" Wind. Stator bonded but visable. Adjustable timing 0/+60 deg. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with: Zombie, Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725125S | 22.10.18 |
| Surpass | Rocket V4S Stock Spec. Part # SUR7215 | Rosent Strock Committee Co | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with Surpass, Part # C75125 on shaft. Option Rotor: C77123 on shaft. | 17.09.18 12.11.18 |
| Team Powers | Actinium V3.0 Pt. # TPBLM 215100 ACT-V3 | | Sensored system. Black Aluminium Sleeve & End-Cap. Stator with wind etched & visable. Sintered rotor with one balance ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2 | 17.09.18 02.07.19 |
| Tekin | Redline G3 SPEC-R Part # TT2696 | GS 215T | Sensored system. "Y" Wind. Adj. timing 0/60. Machined Alum. Can, wind printed. Stator visable. All screws magnetic, Al. retaining housing, steel shielded bearings. Min. length 50.00mm. Rotor with name & Part # 2722. Option rotor: 2721 | 23.04.18 |
| Hobbywing | Xerun V10 G3 Pt # 30401105 | | Sensored system. "Y" Wind. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor Part # 30820018. Option rotor 30820406. | 23.04.18 24.12.18 |
| Surpass | Rocket V3 Pro Stock. Part # SUR6215 | | Sensored system. "Y" Wind. Stator bonded, has access. Adjustable timing 0/+45 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with Surpass, Part # C74125 on shaft. Black Casings & Part # update in 2022. | 05.02.18 |
| Reedy | Reedy S+Plus Part # 27401 | SAPLUS STAN | Sensored system. "Y" Wind. Alu. timing insert with 'R' logo, timing 0/+ 50 deg. Stator can be removed, wind etched on stator. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # 27414 of shaft flat. | 15.01.18 |
| Tianco | ORCA Blitreme Part # OMB215BL | BLITREME 2151 2151 | Sensored system. "Y" Wind. Stator bonded, has access holes. ORCA Blitreme & wind etched on End-Cap. Adjustable timing 0/60. Twin collector ring. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # ORR425SO. | 15.01.18 |
| Reds Racing | VX2 Part # MTTE 0024 | 12.6 12.6 | Sensored system. "Y" Wind. Red Al. timing adjuster. Adjustable timing 0-50. Stator removes & has wind etched. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # MSTE0017. Option rotor MSTE 0018 | 15.01.18 |
| Arrowmax | Dash R-Tune Part # DA740215 | Dash 3 | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind on stator. All screws magnetic, Al. retaining plate, steel shielded bearings. (Non-magnetic body screws included with kit). Rotor with DASH:- Part # - DA-730003. Shaft RSS125. | 01.01.18 19.02.18 |
| NOTE: ALL MOTORS SUBMITTED BEFORE 01.11.17, WERE HOMOLOGATED WITH MAGNETIC SCREWS | | | | |

AND STEEL SHIELDED BEARINGS FITTED.

Changing these items invalidates the Motor Part # stated and contravenes App.4 Rule 4.6.

| Maclan | MRR V2 Part # MCL1035 | Se Macian 21.5T | Sensored system. "Y" Wind. Black Can & End-Cap with logo. Nickel rotor with one Black Alu. bal. ring. Adjustable timing +20/+ 50 deg. Has stator access. Rotor Part # MCL4143. Option Rotor: MCL 4144. | 16.10.17 20.11.17 |
|----------------------------|---|-----------------|---|----------------------|
| Trinity | Monster Max Horsepower Part # TEP 1507 | MAX TRINITY | Sensored system. 'Y' Wind. Green end-plate has Trinity & Monster Max etched. Stator sleeve with Trinity, M Max & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. Rotor with name & Part # TEP1112, later versions TEP1119. Either options allowed. | 16.10.17 09.04.18 |
| Fantom | Fantom FR-1 v3 Pt. # FAN19415S | PERIODE | Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind etched. Adjustable timing +20/+60 deg. Has stator access no hysol on outer edge. Wind etched on stator. Rotor with name, Part # - FAN19597. | 16.10.17 |
| Motiv | MCR Part # MOV102152S | M01345 | Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Both End-Caps remove. Nickel sintered rotor with black balance ring. Adjustable sensor plate timing +20/+50 deg. Has stator access. Rotor part # MOV1340 | 28.08.17 |
| R1 Brushless Motor Lab. | R1 Part # R1-215B-125-V16 BRCA & EFRA | | Sensored system. "Y" Wind. End-Plate with R1 etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. V16 etched on sleeve. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001 | 24.07.17 |
| Muchmore | FLETA ZX V2 Part # MR-V2ZX215ER | FLETAZIZ | Sensored system. "Y" Wind. Al. timing plate, adjust. timing 0-50. Stator removes but can be seen through holes. Wind etched on stator. Shaft etched with rotor dia. Rotor with name & part #. Rotor Part #: MR-FZR 21Y. Optional rotor #s: All MR-FZR :- 18TI, 19Z, 21TIZ, 21Z | 10.07.17 31.10.17 |
| PRT Electronic | PRT AIRs 10 Part # A10215S | | Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, PRT on End-Plate. Adjustable timing. Caps remove. Wind marked on sleeve. Has stator access. Rotor with name & Part # 125RSHT. Option rotor: 123RSHT | 31.05.17 |
| PRT Electronic | PRT AIR 10 Part # A10215 | | Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, PRT on End-Plate. Adjustable timing. Caps remove. Wind marked on sleeve. Has stator access. Rotor with name & Part # 125RSHT. Option rotor: 123RSHT | 15.05.17 |
| Hobbywing | Xerun Justock 3650 G2 Pt # 30408007 | USEOCK. | Sensored system. "Y" Wind. Black Alu. Can & End-Cap with Justock 3650G2. Nickel sintered rotor with one Alu. bal. ring. No timing adjustment. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A. | 15.05.17 |
| R1 Brushless Motor Lab. | R1 Part # R1-215B-125-V15 BRCA & EFRA | 21.5 21 | Sensored system. "Y" Wind. End-Plate with R1 (only) etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001, R1-125-720-001 | 13.02.17 03.04.17 |
| Fantom | Fantom FR-1 v2 Pt. # FAN19475S | 7. 21.5 | Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind etched. Adjustable timing +20/+60 deg. Has stator access but hysol on ends. Wind etched on stator. Rotor with name, Part # -FAN19591. Option Rotor: FAN19590. | 23.01.17 |
| Orion | Vortex Ultimate Stock XLW (2016) # ORI28375 | I STORY | Sensored system. "Y" Wind. Small dia. Black sleeve with removable Alu. End-Plates, all retained with long screws. Adjustable timing 0/+40. Wind etched. Two sensor plug. Rotor has name & part # ORI 41553. Option Rotor: ORI 41554 | 23.01.17 |

| Maclan | MRR Part # MCL1017 | Moslan | Sensored system. "Y" Wind. Black Can & End-Cap with copper timing plate & logo. Nickel rotor with one red Alu. bal. ring. Adjustable timing +20/+ 60 deg. Stator removes easily. Rotor Part # MCL4075. Optional rotors # MCL4076 & MCL4093. | 16.01.17 |
|----------------|--|--|---|----------------------------------|
| Tianco | ORCA RT Pt. # OMT215RT | ÖŘCÁ J 21.5T | Sensored system. "Y" Wind. Black Can & E/Cap. Stator has access slots. Stator accepts 14.5mm gauge. ORCA RT & wind etched on End-Cap. Adjustable timing +/-50. Rotor with name & Part # ORR425S0. Option rotors:- ORR 325S1, 233SL, 238SL, 253SL, 258SL. | 16.01.17 |
| Reds Racing | VX Part # MTTE 0013 | 200 Augusta | Sensored system. "Y" Wind. Red metal End-Plate at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates & has wind etched. Rotor with Green drilled balance ring Part # MSTE0016. Optional rotors:- # MSTE0009, MSTE0010 | 19.12.16 |
| Hobbywing | Xerun V10 G2 Pt # 30101109 | CONTROL OF THE PARTY OF THE PAR | Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo moulded. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 50 deg. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A. Option Rotor: # 30820015 stamped 7-12.5-U-B Option End-Cap, timing +30/+60 # 30820054 | 21.11.16 12.12.16 21.11.16 |
| Team Powers | Actinium Pt. # TPBLM 215100 ACT- V2 | 21.5 | Sensored system. "Y" Wind. Black Aluminium Sleeves & End- Plates. Stator with wind etched & visable. Nickel sintered rotor with no balance ring. Has stator access. (UK Spec. label not mandatory). Rotor with name, Part # TP125G-R | 24.10.16 |
| Fantom | Fantom FR-1 Type M Pt. # FAN19505S | Famour | Sensored system. "Y" Wind. Stator glued & spigoted in sleeve. Sleeve with wind etched. Adjustable sensor plate timing +20/+60 deg. Has stator access. Wind etched on stator. Rotor with name, Part # - FAN19591. Optional Rotor: FAN19590 | 08.08.16 05.12.16 |
| Corally | Dynospeed Spec. 3.0 Part # C-61103 | Transport of Contract of Contr | Sensored system, two ports. "Y" Wind. One end of stator visable but stator removes. Stator has wind etched. Wind etched on End-Cap. End-Cap Alum., adjustable timing, no numbers. Rotor with logo, Part # 61130 | 08.08.16 |
| Motiv | M Code Part # MOV10215S | MCDE 21.5 | Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Mounting Cap removes. Nickel sintered rotor with no balance ring. Adjustable sensor plate timing 0/+50 deg. Has stator access. Rotor part # MOV1315 | 18.07.16 |
| Tesla | Tesla EP Part # TS-194215T-S | A DECEMENT | Sensored system. "Y" Wind. Blue Alu. Can & End-Caps. Timing insert with Tesla logo etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part #TS-194136 | 07.07.16 |
| Ruddog | Ruddog RP540 Part # RP-0015 | RUDDOG RP540 | Sensored system. "Y" Wind. Silver Alu. Can & End-Caps. Timing insert with Ruddog etched. Nickel rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible with wind visable on stator. Rotor Part # RP-12.5-7.2 | 30.05.16 |
| Fenix | Fenix DFV2-21.5 Pt. # FM00215- 2 | FENIX BEVEZILE | Sensored system. "Y" Wind. Black Alu. Can & End-Caps. Timing insert with Fenix DFV2 etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part # MF72-B Option rotor: MF72 | 19.05.16 |

| Tekin | Redline Gen3 Part # TT2703 | CENS& 215T | Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722 | 16.05.16 | |
|--|---|--|---|----------|--|
| Tekin | Redline Gen3 Part # TT2702 RPM | EENS& 215T | Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722 | 16.05.16 | |
| Turnigy | Trackstar V2 Pt # 80122 | A STATE OF THE STA | Sensored system. "Y" Wind. Stator slides from sleeve.Sleeve with wind etched. Adjustable sensor plate timing 0-50 deg. Has stator access. Wind etched on stator. Rotor with name, sizes & Part #. Rotor Part # 919000281 | 16.05.16 | |
| EZpower | EZ Kicker EZBR221 | RACING BRUSHLESS | Sensored system. "Y" Wind. Gun-metal End-Plates & Sleeve. Adjustable red timing ring. Nickel sintered rotor with Red hollow balance ring marked EZ. Caps & sleeve remove, has stator access. Rotor Part # EZBR233 | 23.03.16 | |
| Fenix | Fenix DFV-21.5 Pt. # FM00215 | FEAIX OF VILS | Sensored system. "Y" Wind. Black Alu. Can & End-Caps. Timing insert with Fenix DFV etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible access with cap removed. Rotor Part # MF72. | 18.01.16 | |
| For Homologations before 2016 See:- Brushless ARCHIVE, All Wind Classes before 2016. | | | | | |
| Paul Worsley. (EFRA Brushless Motor Homologation Officer). email: paul.g.worsley@gmail.com | | | | | |